

Printing date 12.07.2011 Revision: 12.07.2011

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Castdon Liquid
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Mixing liquid for Castdon and DentureArt resins.
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dreve Dentamid GmbH Max-Planck-Straße 31

59423 Unna / Germany

Tel.: ++49 2303 /8807-0 Fax.: ++49 2303 / 8807-55

· Further information obtainable from:

Department Research & Development

Fax.: ++49 2303 / 8807-562

Email: sicherheitsdatenblatt@dreve.de

· Emergency telephone number:

49(0)211/797-3350

Plant Fire Department Henkel

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi: Irritant

R37/38: Irritating to respiratory system and skin.



Xi; Sensitising

R43: May cause sensitisation by skin contact.



F; Highly flammable

R11: Highly flammable.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)



Printing date 12.07.2011 Revision: 12.07.2011

Trade name: Castdon Liquid

(Contd. of page 1)

· Label elements

Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:





Xi Irritant

F Highly flammable

 $\cdot \ \mbox{Hazard-determining components of labelling:}$

methyl methacrylate

· Risk phrases:

11 Highly flammable.

37/38 Irritating to respiratory system and skin.

43 May cause sensitisation by skin contact.

· Safety phrases:

- 9 Keep container in a well-ventilated place.
- 16 Keep away from sources of ignition No smoking.
- 23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
- 24 Avoid contact with skin.
- 37 Wear suitable gloves.
- 60 This material and its container must be disposed of as hazardous waste.
- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Activating liquid of Methacrylate acid ester

· Dangerous components:		
CAS: 80-62-6	methyl methacrylate	75-100%
EINECS: 201-297-1	XÍ R37/38; Xí R43; M F R11	
	♦ Flam. Liq. 2, H225; ♦ Skin Irrit. 2, H315; Skin Sens. 1,	
	H317; STOT SE 3, H335	

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Contd. on page 3)



(Contd. of page 2)

Printing date 12.07.2011 Revision: 12.07.2011

Trade name: Castdon Liquid

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting.

Call a doctor immediately.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Water haze

Foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

No further relevant information available.

- · Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

Keep away from ignition sources.

Avoid contact with skin and eyes.

· Environmental precautions:

Do not allow to penetrate the ground/soil.

Prevent seepage into sewage system, workpits and cellars.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- GE



Printing date 12.07.2011 Revision: 12.07.2011

Trade name: Castdon Liquid

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Protect from heat and direct sunlight.

Store in a cool location.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

80-62-6 methyl methacrylate

OES Short-term value: 416 mg/m³, 100 ppm Long-term value: 208 mg/m³, 50 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter AX

· Protection of hands:

Solvent resistant gloves



(Contd. on page 5)



Printing date 12.07.2011 Revision: 12.07.2011

Trade name: Castdon Liquid

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Butyl rubber

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Solvent resistant protective clothing

9 Physical and chemical properties

Information on basic physicalGeneral Information	and chemical properties
· Appearance:	
Form:	Fluid
Colour:	Colourless
· Odour:	Ester-like
· Odour threshold:	Not determined.

· pH-value:	Not determined.
· Change in condition	

Melting point/Melting range:	-48°C
Boiling point/Boiling range:	100°C
· Flash point:	10°C

· Ignition temperature:	430°C
· Decomposition temperature:	Not determined

= = = = = = = = = = = = = = = = = = = =	=	
· Self-igniting:		Product is not selfigniting.

· Danger of explosion:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.

· Explosion limits:

Lower: 2.1 Vol % **Upper:** 12.5 Vol %

· Vapour pressure at 20°C: 47 hPa

Density at 20°C: 0.945 g/cm³
 Relative density Not determined.

Vapour density
 Evaporation rate
 Not determined.
 Not determined.

(Contd. on page 6)



Printing date 12.07.2011 Revision: 12.07.2011

Trade name: Castdon Liquid

(Contd. of page 5)

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Segregation coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

Other information
 No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions Danger of polymerization.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

Reacts with peroxides and other radical forming substances.

Reacts with reducing agents.

Reacts with heavy metals.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

Methylmethacrylate: LD-50 oral >5000 mg/kg rat (Lit.)

LD-50 inhalativ 7093 ppm/4h rat (Lit.)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Low irritant effect
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Sensitisation May cause sensitisation by skin contact.

12 Ecological information

- · Toxicity
- · Acquatic toxicity:

(Contd. on page 7)



(Contd. of page 6)

Printing date 12.07.2011 Revision: 12.07.2011

Trade name: Castdon Liquid

Fish Toxicity (MMA):

LC-50 > 79 mg/l OECD 203 NOEC: 40 mg/l ISO 7346 Exposure: 96 h EEC84 Spezies: 449 V, C1 Oncorhynchus mykiss

Bacterial Toxicity: ECO: 100 mg/l Spezies of cells: Pseudomonas putida

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Components:

Methylmethacrylat: Biodegradability: 30,7 % Test Duration: 28 d Method: OECD 301 C

Scoring: Not ready degradability

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation

Disposal must be made according to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste disposal key: 070104
- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

Land transport ADR/RID (cross-border)



· ADR/RID class: 3 Flammable liquids.

Danger code (Kemler): 339
UN-Number: 1247
Packaging group: II

(Contd. on page 8)



Printing date 12.07.2011 Revision: 12.07.2011

Trade name: Castdon Liquid

(Contd. of page 7)

· Hazard label 3

· UN proper shipping name: 1247 METHYLMETHACRYLAT, MONOMER, STABILISIERT

1247 METHYL METHACRYLATE MONOMER, STABILIZED

· Tunnel restriction code D/E

· Maritime transport IMDG:



IMDG Class: 3
UN Number: 1247
Label 3
Packaging group: II
EMS Number: F-E,S-D
Marine pollutant: No

Proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 3 · UN/ID Number: 1247 · Label 3 · Packaging group: II

Proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

- · UN "Model Regulation": UN1247, METHYL METHACRYLATE MONOMER, STABILIZED, 3, II
- · Special precautions for user Warning: Flammable liquids.
- · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· Technical instructions (air):

Class	Share in %
П	50-100

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

CB.



Printing date 12.07.2011 Revision: 12.07.2011

Trade name: Castdon Liquid

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
- R11 Highly flammable.
- R37/38 Irritating to respiratory system and skin.
- R43 May cause sensitisation by skin contact.
- · Department issuing MSDS: Department Research & Development
- · Contact: Dr. Thomas Veit, Dr. Reiner Altmann, Lothar Sutor
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

· * Data compared to the previous version altered.

- GB