

SAFETY DATA SHEET



Date Issued : 08/01/2012

MSDS No : 256-001.1

ClearTemp™ LC

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: ClearTemp™ LC**PRODUCT DESCRIPTION:** Temporary Veneer Cement**PRODUCT CODE/ PART #:** DH/71106**MANUFACTURER**

Ultradent Products, Inc.
505 W. 10200 S.
South Jordan, UT 84095

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEMTREC (NORTH AMERICA) :(800) 424 - 9300
(INTERNATIONAL) :+1(703) 527 - 3887

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS	EINECS	Classification	Wt. %
Bis GMA	1565-94-2	216-367-7	Xi; R36/37/38	< 30
Triethylene Glycol Dimethacrylate	109-16-0	203-652-6	Xi; R43	< 30
Polysorbate	9005-65-6	500-019-9	Xi; R36/37/38, R22	< 10
Methacrylic Acid	79-41-4	201-204-4	C, Xi; R36/37/38, R34	< 10

(Full text of R-Phrases can be found under heading 16)

3. HAZARDS IDENTIFICATION

HAZARD DESIGNATION

"Xi" - Irritant

R43: May cause sensitization by skin contact.

POTENTIAL HEALTH EFFECTS**EYES:** May cause eye irritation.**SKIN:** May cause sensitization to skin.

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.**SKIN:** Wash with soap and water.**INGESTION:** Do not ingest. If large amount is swallowed seek medical attention.**INHALATION:** No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

5. FIRE FIGHTING MEASURES

FIRE FIGHTING PROCEDURES: General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.

SAFETY DATA SHEET



Date Issued : 08/01/2012

MSDS No : 256-001.1

ClearTemp™ LC

FIRE FIGHTING EQUIPMENT: Foam, dry chemical, carbon dioxide (CO₂).

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Wipe up with dry cloth.

LARGE SPILL: Collect in tightly closed containers.

7. HANDLING AND STORAGE

HANDLING: Use suitable protective equipment.

STORAGE: Refrigerate when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear eye protection

SKIN: S36/37: Wear suitable protective clothing and gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Viscous substance

ODOR: Acrylic

COLOR: Clear

10. STABILITY AND REACTIVITY

STABILITY: Stable when stored and handled under recommended conditions.

POLYMERIZATION: Light exposure initiates polymerization.

CONDITIONS TO AVOID: Heat, flames, ignition sources, direct light, and incompatibles.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: May cause eye irritation.

SKIN EFFECTS: May cause sensitization to skin.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not Available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in compliance with governmental regulation. (EC 1975L0442-20/11/2003)

14. TRANSPORT INFORMATION

ROAD AND RAIL (ADR/RID)

LABEL: Not classified

AIR (ICAO/IATA)

LABEL: Not classified

SAFETY DATA SHEET



Date Issued : 08/01/2012

MSDS No : 256-001.1

ClearTemp™ LC

VESSEL (IMO/IMDG)

LABEL: Not classified

15. REGULATORY INFORMATION

EUROPEAN COMMUNITY

EEC LABEL SYMBOL AND CLASSIFICATION



"Xi" - Irritant

R43: May cause sensitization by skin contact.

16. OTHER INFORMATION

RELEVANT R-PHRASES: R36/37/38: Irritating to eyes, respiratory system and skin.

R43: May cause sensitization by skin contact.

R22: Harmful if swallowed.

R34: Causes burns.

PREPARED BY: Susan Scott**MANUFACTURER DISCLAIMER: FOR DENTAL USE ONLY:** Use as directed. The information and recommendations are taken from sources (raw material MSDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.