

Den-Mat Corporation 2727 Skyway Drive • Santa Maria, CA • 93455 P.O. Box 1729 • Santa Maria, CA • 93456 U.S.A. Tel: (800) 433-6628 Tel: (805) 922-8491 Fax: (805) 922-6933 Int'l Fax: (805) 349-2607

# MATERIAL SAFETY DATA SHEET

TRADE NAME: PAINT-ON DENTAL DAM

CHEMICAL FAMILY: Dental Composite

**FORMULA:** Glass Filler Materials in Aromatic/Aliphatic Methacrylate Resins

I. PHYSICAL DATA

BOILING POINT, 760mm, Hg: N/A

FREEZING POINT: Less than 32°F

SPECIFIC GRAVITY ( $H_20=1$ ): 1.82

VAPOR PRESSURE (20°C): Less than 1mm Hg

VAPOR DENSITY (Air=1):

SOLUBILITY IN WATER: Nil

PERCENT VOLATILES BY VOLUME: Nil

EVAPORATION RATE (Butyl Acetate=1): Less than 0.1

APPEARANCE AND ODOR: Blue or white stiff paste with little or

no odor

II. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: None

FLAMMABLE LIMITS: Not determined

EXTINGUISHING MEDIA: CO<sub>2</sub>, water fog or foam, dry chemicals

SPECIAL FIRE EXTINGUISHING PROCEDURES: N/A
UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

III. <u>HEALTH HAZARDS</u>

THRESHOLD LIMIT VALUE: NE

EFFECTS OF OVEREXPOSURE: None

EMERGENCY AND FIRST AID: None required

IV. REACTIVITY DATA

PaintOnDentalDam (DRN 3153)

Effective Date: 28 Jul 2004
Supersedes: 12 Mar 1999

STABILITY: Stable

CONDITIONS TO AVOID: None

INCOMPATIBILITY: None

HAZARDOUS DECOMPOSITION: Thermal decomposition or burning

> may produce carbon monoxide and/or carbon dioxide and oxides of nitrogen

and silicon.

HAZARDOUS POLYMERIZATION: Will not occur.

#### V. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS

RELEASED OR SPILLED: Soak up with suitable absorbent

material and collect for disposal. Flush

spill area with water.

WASTE DISPOSAL METHOD: Dispose according to government

regulations.

# VI. SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: None

**VENTILATION:** None

PROTECTIVE GLOVES: Recommended

EYE PROTECTION: Safety glasses are recommended

OTHER PROTECTIVE EQUIPMENT: Eye bath and safety shower

#### **EMERGENCY PHONE NUMBER:** (805) 922-8491

While Den-Mat Corporation believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data are not to be taken as a warranty or representation for which Den-Mat assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State and local laws and regulations.

### DEN-MAT CORPORATION, 2727 SKYWAY DRIVE, SANTA MARIA, CA 93455

PaintOnDentalDam (DRN 3153) Supersedes: 12 Mar 1999