

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 2/7/2006

SDS No : 20-001.5

Date Revised : 9/16/2014

Revision No : 4

EndoREZ® Base**SECTION 1 : Identification of the substance/preparation and of the company/undertaking****1.1. Product identifier**

Product code : ER/ 81225
Product name : EndoREZ® Base
Product description : Professional Canal Sealer Material

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Professional Canal Sealer Material

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Ultradent Products, Inc.
 505 W. 10200 S.
 South Jordan, UT 84095

Distributor

Ultradent Products GmbH
 Am Westhover Berg 30
 51149 Cologne Germany
 Email: infoDE@ultradent.com
Emergency Phone : +49(0)2203-35-92-0

1.4. Emergency telephone number

CHEMTREC (NORTH AMERICA) :(800) 424 - 9300
(INTERNATIONAL) :+1(703) 527 - 3887

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Directive 1999/45/EC**

Danger symbols : Xi
R phrases : R36/38,R43

2.2. Label elements**Classification according to Directive 1999/45/EC**

Hazard pictogram(s) : Xi



Irritant

R&S statement(s) : R36/38: Irritating to eyes and skin.
 R43: May cause sensitization by skin contact.

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictogram(s) :



Exclamation mark

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 2/7/2006
 SDS No : 20-001.5
 Date Revised : 9/16/2014
 Revision No : 4

EndoREZ® Base

Signal Word : WARNING
Hazard statement(s) : H320: Causes eye irritation.
 H315: Causes skin irritation.
 H317: May cause an allergic skin reaction.

2.3. Other hazards

Immediate concerns : No other adverse human effects.

SECTION 3: Composition / information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Chemical Name	CAS	EINECS No.	Wt. %	Classification according to Directive 67/548/EEC
TEGDMA	109-16-0	203-652-6	< 20	Xi; R43
Bismuth Chloride Oxide	7787-59-9	232-122-7	< 50	Xi; R36/37/38
Calcium Lactate Pentahydrate	5734-47-5	--	< 5	Xi; R36/37/38;R22
Diurethane Dimethacrylate	72869-86-4	276-957-5	< 25	Xi; R43

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Following eyes : Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.
Following skin : Wash with soap and water. Get medical attention if irritation develops or persists.
Following ingestion : No specific hazards are encountered under normal product use.
Following inhalation : No specific treatment is necessary since this material is not likely to be hazardous by inhalation.

4.2. Most important symptoms and effects, both acute and delayed

Eyes : Causes eye irritation.
Skin : May cause skin irritation and sensitization.
Ingestion : None expected for this product.
Inhalation : None expected for this product.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician : Not Applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 2/7/2006
SDS No : 20-001.5
Date Revised : 9/16/2014
Revision No : 4

EndoREZ® Base**SECTION 5: Fire fighting measures****5.1. Extinguishing media**

Extinguishing media : Please see Fire Fighting Equipment under Section 5.3.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon Dioxide

Explosion hazards : Not Determined

Fire explosion : Not Determined

Sensitive to static discharge : Not Determined

Sensitivity to impact : Not Determined

5.3. Advice for firefighters

Fire fighting procedures : General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.

Fire fighting equipment : Water spray, fog, or mist, foam, dry chemical, carbon dioxide(CO₂)

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

General procedures : Refer to Section 8 for Personal Protective Equipment.

6.2. Environmental precautions

Water spill : Do not allow to enter sewers or drains that may lead to waterways.

6.3. Methods and material for containment and cleaning up

Small spill : Wipe up with cloth, soap and water.

Large spill : Absorb with inert, damp non-combustible material, then flush area with water.

6.4. Reference to other sections

Reference to other sections : Not Applicable

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Handling : Stable when stored and handled under recommended conditions.

Storage : See product labeling.

7.2. Conditions for safe storage, including any incompatibilities

Shelf life : See product labeling

7.3. Specific end use(s)

Specific end use(s) : Professional Canal Sealer Material

SECTION 8: Exposure controls / personal protection

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 2/7/2006

SDS No : 20-001.5

Date Revised : 9/16/2014

Revision No : 4

EndoREZ® Base**8.1. Control parameters**

Control parameters : Not Determined

8.2. Exposure controls

Eye/face protection : Wear eye protection

Skin protection : S36/37: Wear suitable protective clothing and gloves.

Respiratory protection : Good general ventilation should be sufficient to control airborne levels.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state : Paste

Colour : White

Odour : Acrylic

9.2. Other information

Percent volatile : Not Determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

Stable : Yes

10.2. Chemical stability

Chemical stability : Stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization : No

10.4. Conditions to avoid

Conditions to avoid : Not Determined

10.5. Incompatible materials

Incompatible materials : Not Determined

10.6. Hazardous decomposition products

Hazardous decomposition products : Carbon Dioxide

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute**Dermal LD₅₀ : Not DeterminedOral LD₅₀ : Not DeterminedInhalation LC₅₀ : Not Determined**SECTION 12: Ecological information**

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 2/7/2006
 SDS No : 20-001.5
 Date Revised : 9/16/2014
 Revision No : 4

EndoREZ® Base

12.1. Toxicity

Toxicity : Water pollutant

Aquatic toxicity (acute)

96-hour LC₅₀ : Not Determined

48-hour EC₅₀ : Not Determined

96-hour EC₅₀ : Not Determined

12.2. Persistence and degradability

Persistence and degradability : Not Determined

12.3. Bioaccumulative potential

Bioaccumulative potential : Not Determined

12.4. Mobility in soil

Mobility in soil : Not Determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : Not Determined

12.6. Other adverse effects

Environmental data : Biodegradable

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal method : Dispose of in compliance with governmental regulation.(EC 1975L0442-20/11/2003)

SECTION 14: Transport information

14.1. UN number

UN number : N/A

14.2. UN proper shipping name

UN proper shipping name : Not Dangerous Goods

14.3. Transport hazard class(es)

Hazard classification : N/A

14.4. Packing group

Packing group : N/A

14.5. Environmental hazards

Marine pollutant #1 : Not Dangerous Goods

14.6. Special precautions for user

ADR - road : Not Dangerous Goods

RID - rail : Not Dangerous Goods

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 2/7/2006
 SDS No : 20-001.5
 Date Revised : 9/16/2014
 Revision No : 4

EndoREZ® Base

IMDG - sea : Not Dangerous Goods

IATA - air : Not Dangerous Goods

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : Not Dangerous Goods

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

RoHS : Please refer to Medical Devices Directive 93/42/EEC

15.2. Chemical safety assessment

Chemical safety assessment : Not Determined

SECTION 16: Other information

Relevant R-phrases and/or H-statements (number and full text) : R22: Harmful if swallowed.
 R36/37/38: Irritating to eyes, respiratory system and skin.
 R43: May cause sensitization by skin contact.

Prepared by : Anu Kattoju

Revision summary : This SDS replaces the 8/30/2011 SDS. Revised: **Section 1:** GENERAL USE, PREPARED BY. **Section 2:** EMERGENCY OVERVIEW - IMMEDIATE CONCERNS. **Section 3:** Wt.%. **Section 4:** INGESTION, INHALATION, NOTES TO PHYSICIAN, SIGNS AND SYMPTOMS OF OVEREXPOSURE (INGESTION, INHALATION, SKIN). **Section 5:** EXPLOSION HAZARDS, EXTINGUISHING MEDIA, FIRE EXPLOSION, HAZARDOUS COMBUSTION PRODUCTS, SENSITIVE TO STATIC DISCHARGE, SENSITIVITY TO IMPACT. **Section 6:** GENERAL PROCEDURES, WATER SPILL, . **Section 7:** SHELF LIFE, STORAGE, . **Section 8:** PERSONAL PROTECTIVE EQUIPMENT (RESPIRATORY), . **Section 9:** PERCENT VOLATILE. **Section 10:** CONDITIONS TO AVOID, HAZARDOUS POLYMERIZATION, INCOMPATIBLE MATERIALS, STABLE. **Section 11:** ACUTE (ORAL LD₅₀ (rat), INHALATION LC₅₀ (rat)). **Section 12:** CHEMICAL FATE INFORMATION, DISTRIBUTION, BIOACCUMULATION/ACCUMULATION, AQUATIC TOXICITY (ACUTE) (48-HOUR EC₅₀, 96-HOUR EC₅₀), SECTION 12: Ecological information. **Section 14:** AIR (ICAO/IATA) - SPECIAL PROVISIONS ROAD AND RAIL (ADR/RID), ROAD AND RAIL (ADR/RID) (PROPER SHIPPING NAME, UN NUMBER, PACKING GROUP), VESSEL (IMO/IMDG) (SPECIAL PROVISIONS), ROAD AND RAIL (UK only) (CDG) - SPECIAL PROVISIONS. **Section 15:** RoHS, SECTION 15: Regulatory information. **Section 16:** GENERAL STATEMENTS.

General statements : NA = Not Applicable

Manufacturer disclaimer : FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material MSDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer makes no warranty with respect to the accuracy of the

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 2/7/2006

SDS No : 20-001.5

Date Revised : 9/16/2014

Revision No : 4

EndoREZ® Base

information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 11/20/2006

SDS No : 71-001.4

Date Revised : 9/16/2014

Revision No : 3

EndoREZ® Catalyst**SECTION 1 : Identification of the substance/preparation and of the company/undertaking****1.1. Product identifier**

Product code : EZ/ 81231
Product name : EndoREZ® Catalyst
Product description : Chemical set polymerization accelerator

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Professional Canal Sealer Material

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Ultradent Products, Inc.
 505 W. 10200 S.
 South Jordan, UT 84095

Distributor

Ultradent Products GmbH
 Am Westhover Berg 30
 51149 Cologne Germany
 Email: infoDE@ultradent.com
Emergency Phone : +49(0)2203-35-92-0

1.4. Emergency telephone number

CHEMTREC (NORTH AMERICA) : (800) 424 - 9300
(INTERNATIONAL) : +1(703) 527 - 3887

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Directive 1999/45/EC**

Danger symbols : Xi
R phrases : R36/37/38,R43

2.2. Label elements**Classification according to Directive 1999/45/EC**

Hazard pictogram(s) : Xi



Irritant

R&S statement(s) : R36/37/38: Irritating to eyes, respiratory system and skin.
 R43: May cause sensitization by skin contact.

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictogram(s) :



Exclamation mark

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010
Dental Use



Date Issued : 11/20/2006
SDS No : 71-001.4
Date Revised : 9/16/2014
Revision No : 3

EndoREZ® Catalyst

Signal Word : WARNING

Hazard statement(s) : H320: Causes eye irritation.
H315: Causes skin irritation.
H332: Harmful if inhaled.
H317: May cause an allergic skin reaction.

2.3. Other hazards

Immediate concerns : Not Applicable

SECTION 3: Composition / information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Chemical Name	CAS	EINECS No.	Wt. %	Classification according to Directive 67/548/EEC
Bismuth Chloride Oxide	7787-59-9	232-122-7	< 50	Xi; R36/37/38
Triethylene Glycol Dimethacrylate	109-16-0	203-652-6	< 20	Xi; R43
Diurethane Dimethacrylate	72869-86-4	276-957-5	< 30	Xi; R43
Calcium Lactate Pentahydrate	5734-47-5	--	< 5	Xi; R36/37/38;R22

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Following eyes : Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

Following skin : Wash with soap and water. Get medical attention if irritation develops or persists.

Following ingestion : If swallowed, Do Not Induce Vomiting- Seek Medical Advice.

Following inhalation : Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Eyes : Causes eye irritation.

Skin : May cause skin irritation and sensitization.

Ingestion : May be harmful if swallowed.

Inhalation : Maybe harmful if inhaled.

4.3. Indication of any immediate medical attention and special treatment needed

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 11/20/2006
SDS No : 71-001.4
Date Revised : 9/16/2014
Revision No : 3

EndoREZ® Catalyst

Notes to physician : Not Applicable

SECTION 5: Fire fighting measures

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

Fire fighting procedures : General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.

Fire fighting equipment : Water spray, fog, or mist, foam, dry chemical, carbon dioxide(CO₂)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General procedures : Refer to Section 8 for Personal Protective Equipment.

6.2. Environmental precautions

Water spill : Do not allow to enter sewers or drains that may lead to waterways.

6.3. Methods and material for containment and cleaning up

Small spill : Wipe up with cloth, soap and water.

Large spill : Absorb with inert, damp non-combustible material, then flush area with water.

6.4. Reference to other sections

Reference to other sections : Not Applicable

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling : Stable when stored and handled under recommended conditions.

Storage : See product labeling.

7.2. Conditions for safe storage, including any incompatibilities

Shelf life : See product labeling

7.3. Specific end use(s)

Specific end use(s) : Professional Canal Sealer Material

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Control parameters : Not Determined

8.2. Exposure controls

Eye/face protection : Wear eye protection

Skin protection : S36/37: Wear suitable protective clothing and gloves.

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 11/20/2006
SDS No : 71-001.4
Date Revised : 9/16/2014
Revision No : 3

EndoREZ® Catalyst

Respiratory protection : S38: In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colorless to slight tint
Odour : Acrylic

9.2. Other information

Percent volatile : Not Determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable : Yes

10.2. Chemical stability

Chemical stability : Stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization : No

10.4. Conditions to avoid

Conditions to avoid : Not Determined

10.5. Incompatible materials

Incompatible materials : Not Determined

10.6. Hazardous decomposition products

Hazardous decomposition products : Carbon Dioxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute

Dermal LD₅₀ : Not Determined
Oral LD₅₀ : Not Determined
Inhalation LC₅₀ : Not Determined

SECTION 12: Ecological information

12.1. Toxicity

Toxicity : Water pollutant

Aquatic toxicity (acute)

96-hour LC₅₀ : Not Determined

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 11/20/2006
 SDS No : 71-001.4
 Date Revised : 9/16/2014
 Revision No : 3

EndoREZ® Catalyst

48-hour EC₅₀ : Not Determined
96-hour EC₅₀ : Not Determined

12.2. Persistence and degradability

Persistence and degradability : Not Determined

12.3. Bioaccumulative potential

Bioaccumulative potential : Not Determined

12.4. Mobility in soil

Mobility in soil : Not Determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : Not Determined

12.6. Other adverse effects

Environmental data : Biodegradable

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal method : Dispose of in compliance with governmental regulation.(EC 1975L0442-20/11/2003)

SECTION 14: Transport information

14.1. UN number

UN number : N/A

14.2. UN proper shipping name

UN proper shipping name : Not Dangerous Goods

14.3. Transport hazard class(es)

Hazard classification : N/A

14.4. Packing group

Packing group : N/A

14.5. Environmental hazards

Marine pollutant #1 : Not Dangerous Goods

14.6. Special precautions for user

ADR - road : Not Dangerous Goods
RID - rail : Not Dangerous Goods
IMDG - sea : Not Dangerous Goods
IATA - air : Not Dangerous Goods

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : Not Dangerous Goods

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 11/20/2006

SDS No : 71-001.4

Date Revised : 9/16/2014

Revision No : 3

EndoREZ® Catalyst**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****RoHS** : Please refer to Medical Devices Directive 93/42/EEC**15.2. Chemical safety assessment****Chemical safety assessment** : Not Determined**SECTION 16: Other information**

Relevant R-phrases and/or H-statements (number and full text) : R22: Harmful if swallowed.
R36/37/38: Irritating to eyes, respiratory system and skin.
R43: May cause sensitization by skin contact.

Prepared by : Anu Kattoju

Revision summary : This SDS replaces the 8/30/2011 SDS. Revised: **Section 1:** GENERAL USE, PREPARED BY. **Section 2:** EMERGENCY OVERVIEW - IMMEDIATE CONCERNS. **Section 3:** Wt.%. **Section 4:** NOTES TO PHYSICIAN, SIGNS AND SYMPTOMS OF OVEREXPOSURE (INGESTION, INHALATION, SKIN). **Section 6:** GENERAL PROCEDURES, WATER SPILL, . **Section 7:** SHELF LIFE, STORAGE, . **Section 8:** PERSONAL PROTECTIVE EQUIPMENT (RESPIRATORY), . **Section 9:** PERCENT VOLATILE. **Section 10:** CONDITIONS TO AVOID, HAZARDOUS POLYMERIZATION, INCOMPATIBLE MATERIALS, STABLE. **Section 11:** ACUTE (ORAL LD₅₀ (rat), INHALATION LC₅₀ (rat)). **Section 12:** CHEMICAL FATE INFORMATION, DISTRIBUTION, BIOACCUMULATION/ACCUMULATION, AQUATIC TOXICITY (ACUTE) (48-HOUR EC₅₀, 96-HOUR EC₅₀), SECTION 12: Ecological information. **Section 14:** AIR (ICAO/IATA) - SPECIAL PROVISIONS ROAD AND RAIL (ADR/RID), ROAD AND RAIL (ADR/RID) (PROPER SHIPPING NAME, UN NUMBER, PACKING GROUP), VESSEL (IMO/IMDG) (SPECIAL PROVISIONS), ROAD AND RAIL (UK only) (CDG) - SPECIAL PROVISIONS. **Section 15:** RoHS, SECTION 15: Regulatory information. **Section 16:** GENERAL STATEMENTS.

General statements : NA = Not Applicable

Manufacturer disclaimer : FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material MSDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

SAFETY DATA SHEET

ULTRADENT[®]
PRODUCTS, INC.

Date Issued: 09/11/2008

MSDS No: 115-001.1

Gutta Percha Points

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Gutta Percha Points

PRODUCT DESCRIPTION: Resin coated Gutta Percha Points

PRODUCT CODE: ERPT

MANUFACTURER

Ultradent Products, Inc.
505 W. 10200 S.
South Jordan UT 84095

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEMTREC (NORTH AMERICA) :(800) 424 - 9300
(INTERNATIONAL) :+1(703) 527 - 3887

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Classification	Content
Hydrophobic Dimethacrylate	Xi; R36/37/38	1 - 10

(Full text of R-Phrases can be found under heading 16)

3. HAZARDS IDENTIFICATION

HAZARD DESIGNATION

"Xi" - Irritant

POTENTIAL HEALTH EFFECTS

INHALATION: May cause headaches and dizziness.

4. FIRST AID MEASURES

EYES: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: If swallowed, DO NOT INDUCE VOMITING -SEEK MEDICAL ADVICE.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

5. FIRE FIGHTING MEASURES

FIRE FIGHTING PROCEDURES: General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.

FIRE FIGHTING EQUIPMENT: Foam, dry chemical, carbon dioxide (CO₂).

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Remove all sources of ignition. Use spark-proof tools.

SAFETY DATA SHEET

ULTRADENT[®]
PRODUCTS, INC.

Date Issued: 09/11/2008

MSDS No: 115-001.1

Gutta Percha Points

LARGE SPILL: Shovel or vacuum spill and place in a container for disposal.

7. HANDLING AND STORAGE

STORAGE: Room Temperature

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear eye protection.

SKIN: S36/37: Wear suitable protective clothing and gloves.

RESPIRATORY: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Solid

COLOR: Pink

10. STABILITY AND REACTIVITY

STABLE: Yes

CONDITIONS TO AVOID: Strong acids, strong bases, and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: May be mildly irritating to eyes.

SKIN EFFECTS: May cause slight irritation.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not readily degradable.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in compliance with governmental regulation (EC 1975L0442-20/11/2003)

14. TRANSPORT INFORMATION

ROAD AND RAIL (ADR/RID)

LABEL: Not classified

AIR (ICAO/IATA)

SAFETY DATA SHEET

ULTRADENT[®]
PRODUCTS, INC.

Date Issued: 09/11/2008

MSDS No: 115-001.1

Gutta Percha Points

LABEL: Not classified

VESSEL (IMO/IMDG)

LABEL: Not classified

15. REGULATORY INFORMATION

EUROPEAN COMMUNITY

EEC LABEL SYMBOL AND CLASSIFICATION



"Xi" - Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

16. OTHER INFORMATION

RELEVANT R-PHRASES:R36/37/38: Irritating to eyes, respiratory system and skin.

PREPARED BY: Tana Shepherd

REVISION SUMMARY: New MSDS

MANUFACTURER DISCLAIMER: FOR DENTAL USE ONLY: Use as directed.

The information and recommendations are taken from sources (raw material MSDS(s) and manufacturer's knowledge) believed to be accurate; however, Ultradent Products, Inc., makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.