

MATERIAL SAFETY DATA SHEET
According to (EG) 1907/2006 (REACH)
ERNST HINRICHS GmbH

Date of printing: 26.01.2012

reviewed on: 01.08.2009

Page: 1 / 6

Hinripress liquid

1. Identification of the Substance / Preparation and Company:

Identification of the substance or preparation:

Commercial product name:

HinriPress Vario

Use / Purpose

Denture Base Resin, self-curing acrylic, liquid component of the 2-component acrylic system based on methyl methacrylate (powder and liquid), for the purpose of crafting individual dentures.

Company / Manufacturer:

ERNST HINRICHS GmbH

Borsigstr. 1

D - 38644 Goslar

0 53 21 / 5 06 24

0 53 21 / 5 08 81

info@hinrichs-dental.de / www.hinrichs-dental.de

2. Hazards Identification:

Hazard symbols



Highly flammable



Irritating

special guidelines concerning dangers to humans and the environment

Highly flammable. Irritating to respiratory system and skin. May cause sensitization by skin contact.

3. Composition / Information on Ingredients:

Chemical characterization:

Mixture on the basis of methyl methacrylate.

Hazardous ingredients

Methyl methacrylate

Concentration:

60 to 100 %

Chemical formula:

C₅ H₈ O₂

CAS Number

80-62-6

EINECS Number

201-297-1

Index Number

607-035-00-6

Hazard symbols:

F, Xi

R-phrases

11-37/38-43

4. First aid measures:

- 4.1 General Information Remove soiled, soaked clothing immediately. Medical treatment is necessary if symptoms occur that are obviously caused by skin or eye contact with the product or by inhalation of its vapours.
- 4.2 After inhalation: In case of inhalation remove casualty to fresh air and allow to rest. Seek medical advice.
- 4.3 After contact with the skin: In case of contact with skin wash off immediately with soap and water. If skin irritation occurs, seek medical advice.
- 4.4 After contact with the eyes: In case of contact with the eyes rinse thoroughly with plenty of water while keeping the eyelids open. If irritation persists seek medical advice.
- 4.5 After swallowing: Do not induce vomiting. Seek medical advice immediately.



MATERIAL SAFETY DATA SHEET
According to (EG) 1907/2006 (REACH)
ERNST HINRICHS GmbH

Date of printing: 26.01.2012

reviewed on: 01.08.2009

Page: 2 / 6

Hinripress liquid

5. Fire Fighting measures:	
5.1	Suitable extinguishing media: Foam, dry powder, carbon dioxide
5.2	Unsuitable extinguishing media for safety reasons: water
5.3	Special protective equipment for fire fighting: Wear self-contained breathing apparatus.
6. Accidental release measures:	
6.1	Personal precautionary measures: Assure appropriate air-flow. Wear protective clothing. Keep away from ignition sources. Use breathing apparatus if exposed to vapours/dust/mist/aerosol.
6.2	Environmental protection measures: Do not discharge into drains / surface water / groundwater.
6.3	Measures for cleaning: Large quantities: Remove mechanically (hydraulic pump). Assure explosion-safe measures. Smaller quantities: Pick up with liquid absorbing material (sand, diatomaceous earth, acid absorbent, sawdust or tissues). Dispose of in accordance with regulations.
7. Handling and Storage:	
7.1	Instructions on safe handling: Keep container well closed. Assure appropriate air-flow.
7.2	Information on fire and explosion protection: Keep away from ignition sources – No smoking. Take precautionary measures against static discharges. In the event of fire, cool the endangered containers with water. When heated above the flash point and/or during spraying (atomizing), ignitable mixtures may form in the air. Use explosion-proof equipment only.
7.3	Storage: Requirements for storage areas and containers: Keep only the original container at a temperature not exceeding 25°C. Protect from light. Fill the container by approx. 90 % only as oxygen (air) is required for stabilization. With large storage containers make sure the oxygen (air) supply is sufficient to ensure stability.
7.4	Additional Information: If the liquid should cool down to a temperature of lower than 10°C some of the ingredients may crystallize and sink to the bottom. If the materials temperature rises up to room temperature again these crystals dissolve again. The properties of the material will not be affected by this phenomena.
8. Exposure controls / Personal protection:	
Components or products of decomposition according to point 10, with limit values related to the place of work which requires monitoring.	
Methyl methacrylate	80-62-6
OES (long-term) 2003	208 mg/m ³ – 50 ppm
OES (short term) 2003	416 mg/m ³ – 100 ppm
Personal protective equipment:	
General protective measures:	Do not inhale vapours. Avoid contact with eyes and skin.
Respiratory protection:	Breathing apparatus in case of high concentrations, short term: filter appliance, filter A.



MATERIAL SAFETY DATA SHEET
According to (EG) 1907/2006 (REACH)
ERNST HINRICHS GmbH

Date of printing: 26.01.2012

reviewed on: 01.08.2009

Page: 3 / 6

Hinripress liquid

Hand protection:	Wear protective gloves made of butyl rubber (0,7 mm), break through time 300 min (EN 374). In practice, due to variable exposure conditions, this information can only be an aid to orientation for the selection of a suitable chemical protection glove. In particular, this information does not substitute suitability tests by the user.
Eye protection:	Tightly fitting goggles.
Body protection:	When handling larger quantities wear face shield, apron and chemical resistant boots.
Hygiene measures:	Store work clothing separately. Remove soiled or soaked clothing immediately. Follow the usual good standards of occupational hygiene. Clean skin clearly after work; apply skin cream.
General information:	Gloves should be changed regularly, especially after over excessive contact with the product. A different type of glove should be considered for each workspace.

9. Physical and chemical properties:

Appearance

Form:	Liquid
Colour:	Colourless
Odour:	Ester-like

Changes in physical state

Melting point:	-48,2 °C
Boiling point:	100,3 °C (at 1.013 hPa)
Flashpoint:	10 °C (DIN 51755)
Ignition temperature:	430 °C (DIN 51794)
lower explosion limit:	2,1 % (V)
Upper explosion limit:	12,5 % (V)
Vapour pressure:	38,7 hPa (at 20 °C)
Density:	0,94 g/cm ³ (at 20 °C)
Bulk density:	> 1 (at 20 °C)
Solubility in water:	15,9 g/l (at 20 °C)
Qualitativ:	miscible with most organic solvents
pH-value:	not applicable
n-Octanol/water partition coefficient:	log ₁₀ K _{ow} 1,38 (measured)
Dynamic viscosity:	0,63 mPa.s (at 20 °C, Brookfield)
Further information:	none

10. Stability and Reactivity:

Thermal decomposition:	No decomposition when used as directed.
Hazardous reactions:	Polymerisation with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.
Hazardous decomposition products:	None when used as directed.

11. Toxicological Information:

The following information is related to the component methyl methacrylate

Acute oral toxicity:	> 5.000 mg/kg; practically non-toxic if swallowed; LD50 rat, OECD 401
Acute inhalational toxicity:	29,8mg/l; low toxicity by inhalation; LC50 rat, exposure 4h
Acute dermal toxicity:	> 5.000 mg/kg; practically non-toxic in contact with skin; LD50



MATERIAL SAFETY DATA SHEET
According to (EG) 1907/2006 (REACH)
ERNST HIRCH GmbH

Date of printing: 26.01.2012

reviewed on: 01.08.2009

Page: 4 / 6

Hinripress liquid

Irritant effect on skin:	rabbit
Irritant effect on eyes:	not irritating; rabbit exposure 24h; FDA 1959 Draize, occlusive not irritating; rabbit; Draize
Sensitization:	In sensitization tests on guinea pigs with and without adjuvant, both positive and negative results were found. In humans various types of allergic reactions have been observed (symptoms: headache, eye irritations, and skin affections).
Toxicity on repeated administration:	NOAEL 25ppm; at said doses no adverse effects were observed. At higher doses adverse effects were observed; rat; inhalative 2 a, 25-400ppm (Findings: damage to mucous membranes in the nose at 400ppm). NOAEL 2000ppm; rat; drinking water 2 a, 6-20ppm (Findings: no toxic effects)
Mutagenicity:	Positive as well as negative results within in vitro mutagenicity / genotoxicity testes. No experimental indication of genotoxicity in vivo available. In summary not mutagenic according to internationally accepted criteria.
Carcinogenicity:	Non-carcinogenic in inhalation and feeding studies carried out on rats, mice, dogs.
Reprotoxicity / teratogenicity:	No indications of toxic effects were observed in reproduction studies in animals.
Additional information:	Avoid contact with skin and eyes and inhalation of the product vapours.

12. Ecological Information:

Information on elimination (persistence degradability)

Biodegradability:	readily degradable, ca. 94 % Method: OECD 301 C, 14 d
Ecotoxicological effect	
Fishtoxicity (LC50)	> 79 mg/l Oncorhynchus mykiss, rainbow trout, OECD 203 GLP, 96 h
Daphnia toxicity (EC50)	69 mg/l Daphnia magna, OECD 202, 48h
NOEC	37 mg/l Daphnia magna, OECD 202, 21 d
Algae toxicity (EC3)	37 mg/l Scenedesmus quadricauda, DIN 38412 section 9, 8 d
Algae toxicity (EC50)	170 mg/l Selenastrum capricornutum, OECD 201, 96h
Bacteria toxicity (EC0)	100 mg/l Pseudomonas putida
Additional ecological Information:	Do not allow to enter soil, waterways or waste water.

13. Disposal Considerations:

13.1	Product	Waste in hazardous and therefore particularly to be kept under surveillance. It must be disposed of in accordance with the regulation after consultation of the competent local authorities and the disposal company in a suitable and licensed facility.
13.2	Uncleaned packaging	Contaminated packaging should be emptied optimally and after appropriate professional cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of professionally. Uncleaned packaging may be taken for recycling.



MATERIAL SAFETY DATA SHEET
According to (EG) 1907/2006 (REACH)
ERNST HIRCHS GmbH

Date of printing: 26.01.2012

reviewed on: 01.08.2009

Page: 5 / 6

Hinripress liquid





13.3 Code of waste EWC

07 02 08

Waste from the manufacture, formulation, supply and use (MFSU) of plastics, synthetic rubber and man-made fibres – or still bottoms and reaction residues.

Always check the given waste codes according to the actual conditions of manufacturing, formulation or use in your facilities.

14. Transport information:

Overland Transport ADR/RID/GGVSE	
Class:	3 flammable liquids
Dangerous cargo number:	339
UN Number:	1247
Packaging group:	II
Label:	3
Declaration of the good:	UN 1247 METHYL METHACRYLATE, MONOMER, STABILIZED, 3, II
Inland waterway transport ADNR	
Class:	3 flammable liquids
UN Number:	1247
Packaging group:	II
Label:	3
Declaration of the good:	UN 1247 METHYL METHACRYLATE, MONOMER, STABILIZED, 3, II
Shipment by sea IMDG/GGVSee	
Class:	3 flammable liquids
UN Number:	1247
EmS:	F-E, S-D
Marine pollutant:	-
Packing group:	II
Proper Shipping Name:	METHYL METHACRYLATE, MONOMER, STABILIZED
Airtransport ICA/IATA	
Class:	3 flammable liquids
UN Number:	1247
Packing group:	II
Proper Shipping Name:	METHYL METHACRYLATE, MONOMER, STABILIZED

DOT

UN 1247 METHYL METHACRYLATE, MONOMER, STABILIZED



MATERIAL SAFETY DATA SHEET
According to (EG) 1907/2006 (REACH)
ERNST HIRCHS GmbH

Date of printing: 26.01.2012

reviewed on: 01.08.2009

Page: 6 / 6

Hinripress liquid

15. Regulations:

Labelling in accordance to EC directive GefStoffV:	requires labelling
Hazardous component for labelling:	contains methyl methacrylate
Hazardous symbols:	F Highly flammable Xi Irritant
Risk phrases (R-phrases)	11 Highly flammable 37/38 Irritating to respiratory system and skin 43 May cause sensitization by skin contact
Safety Phrases (S-phrases)	24 Avoid contact with skin 37 Wear suitable gloves 46 If swallowed, seek medical advice immediately and show container or label

15. Regulations - continued

Occupational restrictions	- Note for juveniles - Note for pregnant women and nursing mothers (EC Directive 92/85/EEC)
---------------------------	--

16. Further information

References	Relevant manuals and publications, Toxicological and ecotoxicological studies of other manufactures, SIAR, OECD-SIDS, RTK public files
------------	--

This product is normally supplied in a stabilized form. If the permissible storage period and/or storage temperature is exceeded, the product may polymerize with heat evolution.

The above information describes exclusively the safety requirements of the product(s) and is based on our present-day knowledge. It does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. Properties of the product are to be found in the respective product leaflet.