

Safety Data Sheet

Copyright, 2014, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 31-6606-3 **Version number:** 2.00 **Revision date:** 23/04/2014 **Supersedes date:** 22/04/2014

Transportation version number: 1.00 (22/04/2014)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

3MTM ESPETM IMPRINTTM 4 SUPER QUICK REGULAR REFILL

Product Identification Numbers

70-2011-4144-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Dental Product

1.3. Details of the supplier of the substance or mixture

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

E Mail: tox.uk@mmm.com Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the MSDSs for components of this product are:

31-4880-6, 31-4899-6

TRANSPORTATION INFORMATION

70-2011-4144-0

Not hazardous for transportation

KIT LABEL

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Page: 1 of 2

Not applicable

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

Not applicable

Special provisions concerning the labelling of certain substances

This product contains a substance classified as R48/20. Based on the physical form, exposure by inhalation is not expected.

Notes on labelling

This product is exempt from labelling per Directive 1999/45/EC as it is defined as a medical device according to Directive 93/42/EEC and is invasive or comes into contact with the human body.

Revision information:

Revision Changes:

Section 1: Initial issue message information was modified.



Safety Data Sheet

Copyright, 2014, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 31-4880-6
 Version number:
 4.00

 Revision date:
 25/04/2014
 Supersedes date:
 23/04/2014

Transportation version number: 1.00 (22/04/2014)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3MTM ESPETMIMPRINTTM 4 SUPER QUICK REGULAR BASE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Dental Product

1.3. Details of the supplier of the substance or mixture

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

E Mail: tox.uk@mmm.com Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

This material is exempt from hazard classification according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Not applicable

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

Not applicable

Special provisions concerning the labelling of certain substances

This product contains a substance classified as R48/20. Based on the physical form, exposure by inhalation is not expected.

Notes on labelling

This product is exempt from labelling per Directive 1999/45/EC as it is defined as a medical device according to Directive 93/42/EEC and is invasive or comes into contact with the human body.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EU Inventory		Classification
Siloxanes and silicones, Di-Me, vinyl group-terminated	68083-19-2		30 - 50	
Cristobalite	14464-46-1	EINECS 238- 455-4	20 - 30	Xn:R48/20 (Vendor)
				STOT RE 2, H373 (Vendor)
Dimethyl methyl hydrogen silicone fluid	68037-59-2		10 - 20	Xn:R20 (Self Classified)
				Acute Tox. 4, H332 (Self Classified)
Dimethyl siloxane, reaction product with silica	67762-90-7		1 - 10	
Silica, vitreous	60676-86-0	EINECS 262- 373-8	1 - 10	
Glycols,polyethylene,methyl 3-[1,3,3,3-tetramethyl-1-(trimethylsiloxy)disiloxanyl]propyl ether	27306-78-1		1 - 10	Xn:R20; Xi:R36 (Self Classified)
(Acute Tox. 4, H332; Eye Irrit. 2, H319 (Self Classified)
Silane, trimethyl-2-propenyl-	762-72-1	EINECS 212- 104-5	< 5	
FLUORINATED POLYETHER	Trade Secret		1 - 5	
Tridymite	15468-32-3	EINECS 239- 487-1	< 1	
Quartz	14808-60-7	EINECS 238- 878-4	< 0.5	Xn:R48/20 (Vendor)
				STOT RE 1, H372 (Self Classified)
Oils, mint, Mentha arvensis piperascenssis, var. piperascens, Labiatae.	68917-18-0		< 0.5	Xn:R22; Xi:R36; R43 (Self Classified)
				Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1B, H317 (Self Classified)

Please see section 16 for the full text of any R phrases and H statements referred to in this section Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide. Carbon dioxide.

Irritant vapours or gases.

Condition

During combustion.

During combustion.

During combustion.

5.3. Advice for fire-fighters

No unusual fire or explosion hazards are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

Page: 3 of 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not get in eyes.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Quartz	14464-46-1	Health and Safety Comm. (UK)	TWA(respirable):0.1 mg/m3	
Quartz	14808-60-7	Health and Safety Comm. (UK)	TWA(respirable):0.1 mg/m3	
Quartz	15468-32-3	Health and Safety Comm. (UK)	TWA(respirable):0.1 mg/m3	
Silica, vitreous	60676-86-0	Health and Safety Comm. (UK)	TWA(as respirable dust):0.08 mg/m ³	

Health and Safety Comm. (UK): UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
Safety glasses with side shields.

Skin/hand protection

Page: 4 of 13

No chemical protective gloves are required.

Respiratory protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateSolid.Specific Physical Form:Paste

Appearance/Odour Smell of mint; white colour paste

Odour threshold No data available. Not applicable. рH Boiling point/boiling range Not applicable. Not applicable. Melting point Not classified Flammability (solid, gas) **Explosive properties** Not classified **Oxidising properties** Not classified No flash point Flash point Autoignition temperature Not applicable. Flammable Limits(LEL) Not applicable. Flammable Limits(UEL) Not applicable. Vapour pressure No data available.

Relative density 1.1 - 1.3 [*Ref Std:* WATER=1]

Water solubility Negligible Solubility- non-water No data available.

Partition coefficient: n-octanol/waterNo data available.Evaporation rateNot applicable.Vapour densityNo data available.

Decomposition temperatureNo data available.ViscosityNo data available.Density1.1 g/cm3 - 1.3 g/cm3

9.2. Other information

Volatile organic compounds (VOC)Not applicable.Percent volatileNot applicable.VOC less H2O & exempt solventsNot applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions. This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Substance

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Carcinogenicity:

Exposures needed to cause the following health effect(s) are not expected during normal, intended use:

Contains a chemical or chemicals which can cause cancer.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Siloxanes and silicones, Di-Me, vinyl group-terminated	Dermal	Rabbit	LD50 > 15,440 mg/kg
Siloxanes and silicones, Di-Me, vinyl group-terminated	Ingestion	Rat	LD50 > 15,440 mg/kg

3MTM ESPETMIMPRINTTM 4 SUPER QUICK REGULAR BASE

Cristobalite	Ingestion		LD50 estimated to be > 5,000 mg/kg
Dimethyl methyl hydrogen silicone fluid	Dermal	Rabbit	LD50 > 2,000 mg/kg
Dimethyl methyl hydrogen silicone fluid	Inhalation-	Rat	LC50 4.2 mg/l
	Dust/Mist		
	(4 hours)		
Dimethyl methyl hydrogen silicone fluid	Ingestion	Rat	LD50 > 2,000 mg/kg
Dimethyl siloxane, reaction product with silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Dimethyl siloxane, reaction product with silica	Inhalation-	Rat	LC50 > 0.691 mg/l
	Dust/Mist		
	(4 hours)		
Dimethyl siloxane, reaction product with silica	Ingestion	Rat	LD50 > 5,110 mg/kg
Silica, vitreous	Dermal	Rabbit	LD50 > 5,000 mg/kg
Silica, vitreous	Inhalation-	Rat	LC50 > 0.691 mg/l
	Dust/Mist		
	(4 hours)		
Silica, vitreous	Ingestion	Rat	LD50 > 5,110 mg/kg
Glycols,polyethylene,methyl 3-[1,3,3,3-tetramethyl-1-	Dermal	Rabbit	LD50 > 2,000 mg/kg
(trimethylsiloxy)disiloxanyl]propyl ether			
Glycols,polyethylene,methyl 3-[1,3,3,3-tetramethyl-1-	Inhalation-	Rat	LC50 2 mg/l
(trimethylsiloxy)disiloxanyl]propyl ether	Dust/Mist		
	(4 hours)		
Glycols,polyethylene,methyl 3-[1,3,3,3-tetramethyl-1-	Ingestion	Rat	LD50 > 2,000 mg/kg
(trimethylsiloxy)disiloxanyl]propyl ether			
Quartz	Dermal		LD50 estimated to be > 5,000 mg/kg
Quartz	Ingestion		LD50 estimated to be > 5,000 mg/kg
Oils, mint, Mentha arvensis piperascenssis, var. piperascens,	Dermal	Rabbit	LD50 > 5,000 mg/kg
Labiatae.			
Oils, mint, Mentha arvensis piperascenssis, var. piperascens,	Ingestion	Rat	LD50 1,240 mg/kg
Labiatae.			

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Dimethyl siloxane, reaction product with silica	Rabbit	No significant irritation
Silica, vitreous	Rabbit	No significant irritation
Glycols,polyethylene,methyl 3-[1,3,3,3-tetramethyl-1-	Rabbit	No significant irritation
(trimethylsiloxy)disiloxanyl]propyl ether		
Quartz		No significant irritation
Oils, mint, Mentha arvensis piperascenssis, var. piperascens, Labiatae.	Rabbit	Mild irritant

Serious Eye Damage/Irritation

Name	Species	Value
Dimethyl siloxane, reaction product with silica	Rabbit	No significant irritation
Silica, vitreous	Rabbit	No significant irritation
Glycols,polyethylene,methyl 3-[1,3,3,3-tetramethyl-1-	Rabbit	Severe irritant
(trimethylsiloxy)disiloxanyl]propyl ether		
Oils, mint, Mentha arvensis piperascenssis, var. piperascens, Labiatae.	In vitro	Severe irritant
	data	

Skin Sensitisation

Name	Species	Value
Dimethyl siloxane, reaction product with silica	Human	Not sensitizing
	and	
	animal	
Silica, vitreous	Human	Not sensitizing
	and	
	animal	
Glycols,polyethylene,methyl 3-[1,3,3,3-tetramethyl-1-	Guinea	Not sensitizing
(trimethylsiloxy)disiloxanyl]propyl ether	pig	
Oils, mint, Mentha arvensis piperascenssis, var. piperascens, Labiatae.	Guinea	Sensitising
	pig	

Respiratory Sensitisation

Name	Species	Value

Page: 7 of 13

3MTM ESPETMIMPRINTTM 4 SUPER QUICK REGULAR BASE

Germ Cell Mutagenicity

Name	Route	Value
Dimethyl siloxane, reaction product with silica	In Vitro	Not mutagenic
Silica, vitreous	In Vitro	Not mutagenic
Glycols,polyethylene,methyl 3-[1,3,3,3-tetramethyl-1-	In Vitro	Not mutagenic
(trimethylsiloxy)disiloxanyl]propyl ether		
Glycols,polyethylene,methyl 3-[1,3,3,3-tetramethyl-1-	In vivo	Not mutagenic
(trimethylsiloxy)disiloxanyl]propyl ether		
Quartz	In Vitro	Some positive data exist, but the data are not
		sufficient for classification
Quartz	In vivo	Some positive data exist, but the data are not
		sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Dimethyl siloxane, reaction product with silica	Not	Mouse	Some positive data exist, but the data are not
	specified.		sufficient for classification
Silica, vitreous	Not	Mouse	Some positive data exist, but the data are not
	specified.		sufficient for classification
Quartz	Inhalation	Human	Carcinogenic.
		and	
		animal	

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Dimethyl siloxane, reaction product with silica	Ingestion	Not toxic to female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Dimethyl siloxane, reaction product with silica	Ingestion	Not toxic to male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Dimethyl siloxane, reaction product with silica	Ingestion	Not toxic to development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
Silica, vitreous	Ingestion	Not toxic to female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Silica, vitreous	Inhalation	Not toxic to male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Silica, vitreous	Ingestion	Not toxic to development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
Glycols,polyethylene,methyl 3-[1,3,3,3-tetramethyl-1-(trimethylsiloxy)disiloxanyl]propyl ether	Ingestion	Some positive reproductive/developmental data exist, but the data are not sufficient for classification	Rat	NOAEL 450 mg/kg/day	premating & during gestation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure
rvainc	Route	ranget Organ(s)	v and	Species	rest result	Duration
Dimethyl siloxane,	Inhalation	respiratory system	All data are negative	Human	NOAEL Not	occupational
reaction product with silica		silicosis			available	exposure
Silica, vitreous	Inhalation	respiratory system	All data are negative	Human	NOAEL Not	occupational
		silicosis			available	exposure
Quartz	Inhalation	silicosis	Causes damage to organs through	Human	NOAEL Not	occupational
			prolonged or repeated exposure		available	exposure

Page: 8 of 13

Aspiration Hazard

Name	Value

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

No product test data available.

CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
60676-86-0	Common Carp	Experimental	72 hours	LC50	>10,000 mg/l
14464-46-1		Data not			
		classification			
68037-59-2		Data not			
		available or			
		insufficient for			
		classification			
67762-90-7		Data not			
		classification			
27306-78-1					
		classification			
(0015 10 0		D			
68917-18-0					
		classification			
Trade Secret		Data not			
Trade Secret					
14808-60-7					
1.000 00 /					
	60676-86-0 14464-46-1 68037-59-2	60676-86-0 Common Carp 14464-46-1 68037-59-2 67762-90-7 27306-78-1 Trade Secret	Common Carp Experimental	Common Carp Experimental 72 hours	Common Carp Experimental 72 hours LC50

Page: 9 of 13

3MTM ESPETMIMPRINTTM 4 SUPER QUICK REGULAR BASE

		insufficie	ent for	
		classifica	tion	
Silane, trimethyl-2- propenyl-	762-72-1	Data not available insufficie classifica	ent for	
Siloxanes and silicones, Di- Me, vinyl group- terminated	68083-19-2	Data not available insufficie classifica	or ent for	
Tridymite	15468-32-3	Data not available insufficie classifica	ent for	

12.2. Persistence and degradability No test data available.

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Dimethyl methyl hydrogen silicone fluid	68037-59-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Siloxanes and silicones, Di- Me, vinyl group- terminated	68083-19-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Silane, trimethyl-2- propenyl-	762-72-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Dimethyl siloxane, reaction product with silica	67762-90-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
FLUORINAT ED POLYETHER	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Silica, vitreous	60676-86-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Glycols,polyet hylene,methyl 3-[1,3,3,3- tetramethyl-1- (trimethylsilox y)disiloxanyl]p ropyl ether	27306-78-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Tridymite	15468-32-3	Data not available or	N/A	N/A	N/A	N/A

Page: 10 of 13

3MTM ESPETMIMPRINTTM 4 SUPER QUICK REGULAR BASE

		insufficient for				
		classification				
Cristobalite	14464-46-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Quartz	14808-60-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Oils, mint, Mentha arvensis piperascenssis, var. piperascens, Labiatae.	68917-18-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.3 : Bioaccumulative potential No test data available.

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Siloxanes and silicones, Di- Me, vinyl group- terminated	68083-19-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Silane, trimethyl-2- propenyl-	762-72-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Dimethyl siloxane, reaction product with silica	67762-90-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Silica, vitreous	60676-86-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Tridymite	15468-32-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Dimethyl methyl hydrogen silicone fluid	68037-59-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
FLUORINAT ED POLYETHER	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Glycols,polyet hylene,methyl 3-[1,3,3,3-	27306-78-1	Data not available or insufficient for	N/A	N/A	N/A	N/A

Page: 11 of 13

tetramethyl-1- (trimethylsilox y)disiloxanyl]p ropyl ether		classification				
Cristobalite	14464-46-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Quartz	14808-60-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Oils, mint, Mentha arvensis piperascenssis, var. piperascens, Labiatae.	68917-18-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

Dispose of completely cured (or polymerised) material in a permitted industrial waste facility. If no other disposal options are available, waste product that has been completely cured or polymerised may be placed in a landfill properly designed for industrial waste.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

180107 Chemicals other than those mentioned in 18 01 06

SECTION 14: Transportation information

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Page: 12 of 13

Carcinogenicity

<u>Ingredient</u>	CAS Nbr	Classification	Regulation
Cristobalite	14464-46-1	Grp. 1: Carcinogenic to	International Agency
		humans	for Research on Cancer
Quartz	14808-60-7	Grp. 1: Carcinogenic to	International Agency
		humans	for Research on Cancer

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA.

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

List of relevant H statements

Harmful if swallowed.
May cause an allergic skin reaction.
Causes serious eye irritation.
Harmful if inhaled.
Causes damage to organs through prolonged or repeated exposure.
May cause damage to organs through prolonged or repeated exposure.

List of relevant R-phrases

R20	Harmful by inhalation.
R22	Harmful if swallowed.
R36	Irritating to eyes.

R43 May cause sensitisation by skin contact.

R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Revision information:

Not applicable.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M United Kingdom MSDSs are available at www.3M.com/uk



Safety Data Sheet

Copyright, 2014, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 31-4899-6
 Version number:
 3.00

 Revision date:
 25/04/2014
 Supersedes date:
 23/04/2014

Transportation version number: 1.00 (22/04/2014)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3MTM ESPETM IMPRINTTM 4 SUPER QUICK REGULAR CATALYST

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Dental Product

1.3. Details of the supplier of the substance or mixture

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

E Mail: tox.uk@mmm.com Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

This material is exempt from hazard classification according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Not applicable

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

Not applicable

Special provisions concerning the labelling of certain substances

This product contains a substance classified as R48/20. Based on the physical form, exposure by inhalation is not expected.

Notes on labelling

This product is exempt from labelling per Directive 1999/45/EC as it is defined as a medical device according to Directive 93/42/EEC and is invasive or comes into contact with the human body.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Siloxanes and silicones, Di-Me, vinyl	68083-19-2	-	40 - 60	
group-terminated				
Cristobalite	14464-46-1	EINECS 238-	20 - 30	Xn:R48/20 (Vendor)
		455-4		
				STOT RE 2, H373 (Vendor)
Silica, vitreous	60676-86-0	EINECS 262-	5 - 15	
		373-8		
Siloxanes and silicones, di-Me	63148-62-9		1 - 10	
Dimethyl siloxane, reaction product with	67762-90-7		1 - 10	
silica				
Tridymite	15468-32-3	EINECS 239-	< 2	
		487-1		
cobalt chromite blue green spinel	68187-11-1	EINECS 269-	< 0.5	
		072-0		
Quartz	14808-60-7	EINECS 238-	< 0.3	Xn:R48/20 (Vendor)
		878-4		
				STOT RE 1, H372 (Self
				Classified)

Please see section 16 for the full text of any R phrases and H statements referred to in this section Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eve contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

Dance 2 of

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance
Formaldehyde
Carbon monoxide.
Carbon dioxide.
Irritant vapours or gases.

Condition

During combustion.
During combustion.
During combustion.
During combustion.
During combustion.

5.3. Advice for fire-fighters

No unusual fire or explosion hazards are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

Page: 3 of 12

8.1 Control parameters

Occupational exposure limits

Ingredient Quartz	CAS Nbr 14464-46-1	Agency Health and Safety Comm. (UK)	Limit type TWA(respirable):0.1 mg/m3	Additional comments
Quartz	14808-60-7	Health and Safety Comm. (UK)	TWA(respirable):0.1 mg/m3	
Quartz	15468-32-3	Health and Safety Comm. (UK)	TWA(respirable):0.1 mg/m3	
Silica, vitreous	60676-86-0	Health and Safety Comm. (UK)	TWA(as respirable dust):0.08 mg/m ³	
Cobalt compounds	68187-11-1	Health and Safety Comm.	TWA(as Co):0.1 mg/m3	Respiratory Sensitizer

Health and Safety Comm. (UK): UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid.
Specific Physical Form: Paste

Appearance/Odour Slight characteristic odour, petrol coloured paste

Page: 4 of 12

Odour threshold Not applicable. Not applicable. рH Not applicable. Boiling point/boiling range Melting point Not applicable. Not classified Flammability (solid, gas) **Explosive properties** Not classified **Oxidising properties** Not classified No flash point Flash point Autoignition temperature Not applicable. Flammable Limits(LEL) Not applicable. Not applicable. Flammable Limits(UEL)

Relative density 1.2 - 1.4 [*Ref Std*:WATER=1]

No data available.

Water solubility Negligible

Solubility- non-water *No data available.*

Partition coefficient: n-octanol/waterNo data available.Evaporation rateNot applicable.Vapour densityNo data available.

Decomposition temperatureNo data available.ViscosityNo data available.Density1.2 g/cm3 - 1.4 g/cm3

9.2. Other information

Vapour pressure

Volatile organic compounds (VOC)Not applicable.Percent volatileNot applicable.VOC less H2O & exempt solventsNot applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

<u>Substance</u> <u>Condition</u>

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eve contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Carcinogenicity:

Exposures needed to cause the following health effect(s) are not expected during normal, intended use:

Contains a chemical or chemicals which can cause cancer.

Additional information:

This product contains a form of crystalline silica. Occupational exposure to inhaled crystalline silica has been associated with silicosis and lung cancer. No exposure to crystalline silica is expected during the normal handling and use of this product. Therefore, the health effects associated with crystalline silica are not expected during normal use of this product.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Siloxanes and silicones, Di-Me, vinyl group-terminated	Dermal	Rabbit	LD50 > 15,440 mg/kg
Siloxanes and silicones, Di-Me, vinyl group-terminated	Ingestion	Rat	LD50 > 15,440 mg/kg
Cristobalite	Ingestion		LD50 estimated to be > 5,000 mg/kg
Silica, vitreous	Dermal	Rabbit	LD50 > 5,000 mg/kg
Silica, vitreous	Inhalation-	Rat	LC50 > 0.691 mg/l
	Dust/Mist		
	(4 hours)		
Silica, vitreous	Ingestion	Rat	LD50 > 5,110 mg/kg
Dimethyl siloxane, reaction product with silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Dimethyl siloxane, reaction product with silica	Inhalation-	Rat	LC50 > 0.691 mg/l
	Dust/Mist		
	(4 hours)		
Dimethyl siloxane, reaction product with silica	Ingestion	Rat	LD50 > 5,110 mg/kg
Siloxanes and silicones, di-Me	Dermal	Rabbit	LD50 > 19,400 mg/kg
Siloxanes and silicones, di-Me	Ingestion	Rat	LD50 > 17,000 mg/kg

Page: 6 of 12

cobalt chromite blue green spinel	Ingestion	Rabbit	LD50 > 5,000 mg/kg
Quartz	Dermal		LD50 estimated to be > 5,000 mg/kg
Quartz	Ingestion		LD50 estimated to be > 5,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Silica, vitreous	Rabbit	No significant irritation
Dimethyl siloxane, reaction product with silica	Rabbit	No significant irritation
Siloxanes and silicones, di-Me	Rabbit	No significant irritation
Quartz		No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Silica, vitreous	Rabbit	No significant irritation
Dimethyl siloxane, reaction product with silica	Rabbit	No significant irritation
Siloxanes and silicones, di-Me	Rabbit	No significant irritation

Skin Sensitisation

Name	Species	Value
Silica, vitreous	Human	Not sensitizing
	and	
	animal	
Dimethyl siloxane, reaction product with silica	Human	Not sensitizing
	and	
	animal	

Respiratory Sensitisation

Name	Species	Value

Germ Cell Mutagenicity

Name	Route	Value
Silica, vitreous	In Vitro	Not mutagenic
Dimethyl siloxane, reaction product with silica	In Vitro	Not mutagenic
Quartz	In Vitro	Some positive data exist, but the data are not
		sufficient for classification
Quartz	In vivo	Some positive data exist, but the data are not
		sufficient for classification

Carcinogenicity

our emogement,			
Name	Route	Species	Value
Silica, vitreous	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
Dimethyl siloxane, reaction product with silica	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
Quartz	Inhalation	Human and animal	Carcinogenic.

Reproductive Toxicity

Name	Route	Value	Species	Test result	Exposure Duration
Silica, vitreous	Ingestion	Not toxic to female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Silica, vitreous	Inhalation	Not toxic to male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Silica, vitreous	Ingestion	Not toxic to development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
Dimethyl siloxane, reaction product with silica	Ingestion	Not toxic to female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation

Page: 7 of 12

Dimethyl siloxane, reaction product with	Ingestion	Not toxic to male reproduction	Rat	NOAEL 497	1 generation
silica				mg/kg/day	
Dimethyl siloxane, reaction product with	Ingestion	Not toxic to development	Rat	NOAEL	during
silica		_		1,350	organogenesis
				mg/kg/day	

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Specific Target Organ	TOAICITY ,	single exposure				
Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Silica, vitreous	Inhalation	respiratory system silicosis	All data are negative	Human	NOAEL Not available	occupational exposure
Dimethyl siloxane, reaction product with silica	Inhalation	respiratory system silicosis	All data are negative	Human	NOAEL Not available	occupational exposure
Quartz	Inhalation	silicosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure

Aspiration Hazard

Name	Value

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
cobalt chromite	68187-11-1	Green Algae	Experimental	72 hours	EC50	0.4 mg/l
blue green						
spinel						
cobalt chromite	68187-11-1	Crustacea	Experimental	48 hours	EC50	0.397 mg/l
blue green						
spinel						
cobalt chromite	68187-11-1	Rainbow trout	Experimental	96 hours	LC50	1.406 mg/l
blue green						
spinel						
Silica, vitreous	60676-86-0	Common Carp	Experimental	72 hours	LC50	>10,000 mg/l
cobalt chromite	68187-11-1	Water flea	Experimental	21 days	NOEC	0.7 mg/l
blue green						
spinel						
cobalt chromite	68187-11-1	Water flea	Experimental	21 days	NOEC	0.0079 mg/l
blue green						

Page: 8 of 12

3MTM ESPETM IMPRINTTM 4 SUPER QUICK REGULAR CATALYST

spinel						
cobalt chromite blue green spinel	68187-11-1	Rainbow trout	Experimental	14 days	NOEC	0.1 mg/l
Cristobalite	14464-46-1		Data not available or insufficient for classification			
Dimethyl siloxane, reaction product with silica	67762-90-7		Data not available or insufficient for classification			
Quartz	14808-60-7		Data not available or insufficient for classification			
Siloxanes and silicones, di- Me	63148-62-9		Data not available or insufficient for classification			
Siloxanes and silicones, Di- Me, vinyl group- terminated	68083-19-2		Data not available or insufficient for classification			
Tridymite	15468-32-3		Data not available or insufficient for classification			
cobalt chromite blue green spinel	68187-11-1		Data not available or insufficient for classification			% weight

12.2. Persistence and degradability No test data available.

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Siloxanes and	63148-62-9	Data not	N/A	N/A	N/A	N/A
silicones, di-		available or				
Me		insufficient for				
		classification				
Siloxanes and	68083-19-2	Data not	N/A	N/A	N/A	N/A
silicones, Di-		available or				
Me, vinyl		insufficient for				
group-		classification				
terminated						
Dimethyl	67762-90-7	Data not	N/A	N/A	N/A	N/A
siloxane,		available or				
reaction		insufficient for				
product with		classification				
silica						
Silica, vitreous	60676-86-0	Data not	N/A	N/A	N/A	N/A
		available or				

Page: 9 of 12

		insufficient for classification					
Tridymite	15468-32-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A	
Cristobalite	14464-46-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A	
cobalt chromite blue green spinel	68187-11-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A	
Quartz	14808-60-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A	

12.3 : Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Cristobalite	14464-46-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Siloxanes and silicones, di- Me	63148-62-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Siloxanes and silicones, Di- Me, vinyl group- terminated	68083-19-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Dimethyl siloxane, reaction product with silica	67762-90-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Silica, vitreous	60676-86-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Quartz	14808-60-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Tridymite	15468-32-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
cobalt chromite blue green spinel	68187-11-1	Experimental BCF - Fathead Mi	63 days	Bioaccumulati on factor	190	

Page: 10 of 12

cobalt chromite	68187-11-1	Data not	N/A	N/A	N/A	N/A
blue green		available or				
spinel		insufficient for				
		classification				

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

This product has been classified as a non-hazardous waste. Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

180107 Chemicals other than those mentioned in 18 01 06

SECTION 14: Transportation information

ADR/IATA/IMDG: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

<u>Ingredient</u>	CAS Nbr	Classification	Regulation
Cristobalite	14464-46-1	Grp. 1: Carcinogenic to	International Agency
		humans	for Research on Cancer
Quartz	14808-60-7	Grp. 1: Carcinogenic to	International Agency
		humans	for Research on Cancer

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA.

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

List of relevant H statements

H372 Causes damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs through prolonged or repeated exposure.

List of relevant R-phrases

R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Revision information:

Not applicable.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M United Kingdom MSDSs are available at www.3M.com/uk