

Safety Data Sheet according to Regulation (EC) No 1907/2006

B. Braun Melsungen AG

Revision date: 08.08.2014

Revision No: 1,03

Meliseptol Wipes sensitive

00056-0269

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Meliseptol Wipes sensitive

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Rapid disinfectant for small surfaces

1.3. Details of the supplier of the safety data sheet

B. Braun Melsungen AG

Carl-Braun-Straße 1

D-34212 Melsungen

B. Braun Medical AG

Seesatz 17

CH-6204 Sempach

Responsible Department

Zentrale Service-Bereiche/Logistik und Supply Chain

Telephone: +49 (0) 5661 / 71-4422

Emergency telephone :+49 (0) 6132 / 84463 (GBK GmbH, Ingelheim)

Responsible for the safety data sheet: sds@gbk-ingelheim.de

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: Xi - Irritant

R phrases:

Risk of serious damage to eyes.

Vapours may cause drowsiness and dizziness.

GHS classification

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes serious eye damage.

2.2. Label elements

Danger symbols:

Xi - Irritant



Xi - Irritant

R phrases

41 Risk of serious damage to eyes.

67 Vapours may cause drowsiness and dizziness.

S phrases

24 Avoid contact with skin.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

39 Wear eye/face protection.

2.2. Label elements (GHS classification)

Signal word: Danger

Pictograms: GHS05



Hazardous components which must be listed on the label

Propan-1-ol

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P260 Do not breathe vapour.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

2.3. Other hazards

Not known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Tissues impregnated with n-propyl alcohol solution

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
200-746-9	Propan-1-ol	< 20 %
71-23-8	F - Highly flammable, Xi - Irritant R11-41-67	
603-003-00-0	Flam. Liq. 2, Eye Dam. 1, STOT SE 3; H225 H318 H336	
01-2119486761-29		
230-525-2	Didecyldimethylammonium chloride	< 0,25 %
7173-51-5	C - Corrosive, Xn - Harmful R22-34	
612-131-00-6	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1 (M-Factor = 1); H302 H314 H400	
01-2119945987-15		

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours.

In the event of symptoms refer for medical treatment.

After contact with skin

No specific precautions required.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Seek medical treatment by eye specialist.

After ingestion

Ingestion is not considered a potential route of exposure.

Immediately give plenty of water (if possible charcoal slurry).

Seek medical treatment immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO₂), water-spray.

Extinguishing media which must not be used for safety reasons

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce:

Carbon monoxide (CO), carbon dioxide (CO₂) and nitrogen oxides (NO_x).

Chlorine compounds.

5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.

Ensure adequate ventilation.

Use personal protective clothing.

Keep away sources of ignition.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Shovel into suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation.

When using, do not eat, drink or smoke.

Avoid contact with eyes, skin or mucous membrane.

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Advice on storage compatibility

Incompatible with:

Oxidizing agents

Alkaline metals and earth alkaline metals.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

Storage class (D): 13

7.3. Specific end use(s)

Schnelldesinfektionsmittel für kleine Flächen

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
71-23-8	Propan-1-ol	200	500		TWA (8 h)	WEL
		250	625		STEL (15 min)	WEL

8.2. Exposure controls

Occupational exposure controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Do not inhale vapours.

Wash hands before breaks and at the end of workday.

When using, do not eat, drink or smoke.

Remove and wash contaminated clothes before re-use.

Avoid contact with eyes.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 141).

Hand protection

Protective gloves resistant to chemicals made of nitrile, minimum coat thickness 0.4 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Camatril Velours 730> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Eye protection

Tightly fitting goggles (EN 166).

Eye wash bottle with pure water (EN 15154).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Solid

Colour: White

Safety Data Sheet according to Regulation (EC) No 1907/2006

B. Braun Melsungen AG

Revision date: 08.08.2014

Revision No: 1,03

Meliseptol Wipes sensitive

00056-0269

Odour: characteristic

Test method

Changes in the physical state

Initial boiling point and boiling range: approx. 89 °C
Flash point: 31,5 °C Closed cup *)
Lower explosion limits: n.d.
Upper explosion limits:
Ignition temperature: n.d.
Vapour pressure: n.d.
(at 20 °C)
Density (at 20 °C): approx. 0,975 g/cm³
Water solubility: Miscible
(at 20 °C)

9.2. Other information

Informations concern to liquid phase.

*) Product is ignitable, but does not keep burning.

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4. Conditions to avoid

Vapour/air mixtures are explosive at intensive warming.

Heating can release vapours which can be ignited.

10.5. Incompatible materials

Oxidizing agents

Alkaline metals and earth alkaline metals.

10.6. Hazardous decomposition products

Carbon monoxide (CO), carbon dioxide (CO₂) and nitrogen oxides (NO_x).

Chlorine compounds.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No toxicological data available.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	h
7173-51-5	Didecyldimethylammonium chloride				
	Acute oral toxicity	ATE 500 mg/kg			

Irritation and corrosivity

Skin irritation: Not classified.

Eye irritation: Causes serious eye damage.

Sensitising effects

Not classified.

Severe effects after repeated or prolonged exposure

STOT/Single exposure: Not classified.

STOT/Repeated exposure: Not classified.

Aspiration hazard Not classified.

Carcinogenic/mutagenic/toxic effects for reproduction

Carcinogenicity: Not classified.

Mutagenicity: Not classified.

Teratogenicity: Not classified.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Empirical data on effects on humans

Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

Propan-1-ol

Readily biodegradable (to OECD criteria)

12.3. Bioaccumulative potential

Propan-1-ol

Product has a low bioaccumulating potential.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT substance.

12.6. Other adverse effects

Low hazard to waters.

Further information

Ecological injuries are not known or expected under normal use.

Product is not allowed to be discharged into aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Can be incinerated, when in compliance with local regulations.

Where possible recycling is preferred to disposal.

Waste disposal number of waste from residues/unused products

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother liquors
Classified as hazardous waste.

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Other applicable information

No hazardous material as defined by the transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC): < 20 %

Additional information

Regulation (EC) No 648/2004 (Regulation on detergents):

Non-ionic surfactants < 5 %, Parfum < 5 % (MELISEPTOL Foam fresh)

Ingredients subject to the labelling obligation according to SCCP: -

National regulatory information

Employment restrictions: Observe employment restrictions for young people. Observe employment restrictions for child bearing mothers and nursing.

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Relevant R-phrases (Number and full text)

- 11 Highly flammable.
- 22 Harmful if swallowed.
- 34 Causes burns.
- 41 Risk of serious damage to eyes.
- 67 Vapours may cause drowsiness and dizziness.

Relevant H- and EUH-phrases (Number and full text)

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations. (n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)