B. Braun Melsungen AG

Revision date: 13.02.2014 Revision No: 1,02

Meliseptol rapid 00056-0191

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Meliseptol rapid

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Rapid disinfectant for small surfaces

#### 1.3. Details of the supplier of the safety data sheet

B. Braun Melsungen AG Carl-Braun-Straße 1 D-34212 Melsungen

B. Braun Medical AG Seesatz 17 CH-6204 Sempach

# **Responsible Department**

Zentrale Service-Bereiche/Logistik und Supply Chain

Telephone: +49 (0) 5661 / 71-4422

Emergency telephone: +49 (0) 6132 / 84463 (GBK GmbH, Ingelheim)

Responsible for the safety data sheet: sds@gbk-ingelheim.de

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Indications of danger: Xi - Irritant

R phrases: Flammable.

Risk of serious damage to eves.

Vapours may cause drowsiness and dizziness.

# **GHS** classification

Hazard categories:

Flammable liquid: Flam. Liq. 3

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Flammable liquid and vapour. Causes serious eye damage. May cause drowsiness or dizziness.

# 2.2. Label elements

Danger symbols: Xi - Irritant



Xi - Irritant

# R phrases

10 Flammable.

41 Risk of serious damage to eyes.

Vapours may cause drowsiness and dizziness.

GB - EN Page 1 of 9

B. Braun Melsungen AG

Revision date: 13.02.2014 Revision No: 1,02

Meliseptol rapid 00056-0191

S phrases

07 Keep container tightly closed.

16 Keep away from sources of ignition - No smoking.

24 Avoid contact with skin.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

This material and its container must be disposed of in a safe way.

39 Wear eye/face protection.

# 2.2. Label elements (GHS classification)

Signal word: Danger

Pictograms: GHS02-GHS05-GHS07







#### Hazardous components which must be listed on the label

Propan-1-ol

#### **Hazard statements**

H226 Flammable liquid and vapour.
 H318 Causes serious eye damage.
 H336 May cause drowsiness or dizziness.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe vapour.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

# 2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### **Chemical characterization**

Alcoholic disinfectant

## **Hazardous components**

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
200-746-9	Propan-1-ol	50 %
71-23-8	F - Highly flammable, Xi - Irritant R11-41-67	
603-003-00-0	Flam. Liq. 2, Eye Dam. 1, STOT SE 3; H225 H318 H336	
01-2119486761-29		
230-525-2	Didecyldimethylammonium chloride	< 0,25 %
7173-51-5	C - Corrosive, Xn - Harmful R22-34	
612-131-00-6	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1; H302 H314 H400	
01-2119945987-15		

Full text of R and H phrases: see Section 16.

GB - EN Page 2 of 9

B. Braun Melsungen AG

Revision date: 13.02.2014 Revision No: 1,02

Meliseptol rapid 00056-0191

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### General information

Remove contaminated soaked clothing immediately.

If you feel unwell, seek medical advice.

#### After inhalation

Move to fresh air in case of accidental inhalation of vapours.

In the event of symptoms refer for medical treatment.

#### After contact with skin

Wash off with soap and plenty of water.

Consult a doctor if skin irritation persists.

#### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

Seek medical treatment by eye specialist.

#### After ingestion

Rinse out mouth and give plenty of water to drink.

Never give anything by mouth to an unconscious person.

Summon a doctor immediately.

Induce vomiting only upon the advice of a physician.

# 4.2. Most important symptoms and effects, both acute and delayed

Causes serious eve damage.

May cause drowsiness or dizziness.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

## Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray.

## Extinguishing media which must not be used for safety reasons

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire may produce:

Carbon monoxide and carbon dioxide.

# 5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

#### **Additional information**

Cool containers at risk with water spray jet.

Keep away from sources of ignition - No smoking.

Vapours are heavier than air and spread along ground.

The vapour/air mixture is explosive, even in empty, uncleaned receptacles.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.

Ensure adequate ventilation.

Use personal protective clothing.

Keep away sources of ignition.

GB - EN Page 3 of 9

B. Braun Melsungen AG

Revision date: 13.02.2014 Revision No: 1,02

Meliseptol rapid 00056-0191

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

#### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Ensure adequate ventilation.

When using, do not eat, drink or smoke.

Avoid contact with eyes, skin or mucous membrane.

# Advice on protection against fire and explosion

Keep product and empty container away from heat and sources of ignition.

Do not smoke.

#### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

#### Advice on storage compatibility

Incompatible with:

Oxidizing agents

Alkaline metals and earth alkaline metals.

## Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

Storageclass (D): 3

# 7.3. Specific end use(s)

Rapid disinfectant for small surfaces

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

## **Exposure limits (EH40)**

	CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
ſ	71-23-8	Propan-1-ol	200	500		TWA (8 h)	WEL
			250	625		STEL (15 min)	WEL

#### 8.2. Exposure controls

# Occupational exposure controls

Ensure adequate ventilation, especially in confined areas.

#### Protective and hygiene measures

Wash hands before breaks and at the end of workday.

When using, do not eat, drink or smoke.

Remove and wash contaminated clothes before re-use.

Do not breath vapours or spray mist.

Avoid contact with eyes, skin or mucous membrane.

#### Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 141).

GB - EN Page 4 of 9

B. Braun Melsungen AG

Revision date: 13.02.2014 Revision No: 1,02

Meliseptol rapid 00056-0191

## Hand protection

Protective gloves resistant to chemicals made of nitrile, minimum coat thickness 0.4 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Camatril Velours 730> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

## Eye protection

Safety goggles with side protection (EN 166).

Eye wash bottle with pure water (EN 15154).

# Skin protection

Long sleeved clothing (EN 368).

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: Colourless
Odour: Alcoholic

Test method

pH-Value: approx. 7

Changes in the physical state

Initial boiling point and boiling range: 89 °C Flash point: 31 °C Lower explosion limits: 2,1 vol. %

Upper explosion limits:

Ignition temperature: 405 °C
Vapour pressure: 18,7 hPa

(at 20 °C)

Density (at 20 °C):

Water solubility:

(at 20 °C)

Miscible

Solvent content: 50 %

9.2. Other information

No data available.

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No decomposition if stored and applied as directed.

# 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

Reactions with alkali metals.

Reactions with earth alkali metals.

# 10.4. Conditions to avoid

Vapour/air mixtures are explosive at intensive warming.

Heating can release vapours which can be ignited.

GB - EN Page 5 of 9

B. Braun Melsungen AG

Revision date: 13.02.2014 Revision No: 1,02

Meliseptol rapid 00056-0191

### 10.5. Incompatible materials

Oxidizing agents

Alkaline metals and earth alkaline metals.

# 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

#### **Acute toxicity**

No toxicological data available.

CAS No	Chemical name			
	Exposure routes	Method Dose	Species	h
7173-51-5	Didecyldimethylammonium chloride			
	Acute oral toxicity	ATE 500 mg/kg		

#### Irritation and corrosivity

Skin irritation: Not classified.

Eye irritation: Causes serious eye damage.

# Sensitising effects

Not classified.

#### Severe effects after repeated or prolonged exposure

STOT/Single exposure: Category 3 [May cause drowsiness or dizziness.]

STOT/Repeated exposure: Not classified.

Aspiration hazard Not classified.

# Carcinogenic/mutagenic/toxic effects for reproduction

Carcinogenicity: Not classified. Mutagenicity: Not classified. Teratogenicity: Not classified.

# Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

# Empirical data on effects on humans

Risk of serious damage to eyes.

Vapours may cause drowsiness and dizziness.

Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

May cause irritation of the mucous membranes.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecological data are not available.

Didecyldimethylammonium chloride [M = 10]

LC50/Pimephales promelas/96 h = 0,19 mg/l [US-EPA]

ErC50/Pseudokirchneriela subcapitata/96 h = 0,026 mg/l [OECD TG 201]

EC50/Daphnia magna/48 h = 0,062 mg/l [EPA-FIFRA]

### 12.2. Persistence and degradability

Propan-1-ol

Readily biodegradable (to OECD criteria)

## 12.3. Bioaccumulative potential

Propan-1-ol

Product has a low bioaccumulating potential.

GB - EN Page 6 of 9

B. Braun Melsungen AG

Revision date: 13.02.2014 Revision No: 1,02

Meliseptol rapid 00056-0191

#### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT substance.

#### 12.6. Other adverse effects

Low hazard to waters.

#### **Further information**

Ecological injuries are not known or expected under normal use.

Product is not allowed to be discharged into aquatic environment.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

# Advice on disposal

Can be incinerated, when in compliance with local regulations.

Where possible recycling is preferred to disposal.

# Waste disposal number of waste from residues/unused products

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps,

detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother liquors

Classified as hazardous waste.

#### Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

**14.1. UN number:** UN1274

14.2. UN proper shipping name: n-PROPANOL, SOLUTION

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard label:

3



Classification code: F1

Limited quantity: 5 L / 30 kg

Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Inland waterways transport (ADN)

**14.1. UN number:** UN1274

14.2. UN proper shipping name: n-PROPANOL, SOLUTION

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3

GB - EN Page 7 of 9

B. Braun Melsungen AG

Revision date: 13.02.2014 Revision No: 1,02

Meliseptol rapid 00056-0191



Classification code: F1

Limited quantity: 5 L / 30 kg

Marine transport (IMDG)

**14.1. UN number:** UN1274

14.2. UN proper shipping name: n-PROPANOL, SOLUTION

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Marine pollutant: No

Limited quantity: 5 L / 30 kg EmS: 5 L / 30 kg

Air transport (ICAO)

UN/ID number: UN1274

**14.2. UN proper shipping name:** n-PROPANOL, SOLUTION

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Limited quantity Passenger: Y344 / 10 L

IATA-packing instructions - Passenger:355IATA-max. quantity - Passenger:60 LIATA-packing instructions - Cargo:366IATA-max. quantity - Cargo:220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

The transport takes place only in approved and appropriate packaging.

**SECTION 15: Regulatory information** 

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC): 50 %

National regulatory information

Employment restrictions: Observe employment restrictions for young people. Observe employment

restrictions for child bearing mothers and nursing.

Water contaminating class (D): 1 - slightly water contaminating

GB - EN Page 8 of 9

B. Braun Melsungen AG

Revision date: 13.02.2014 Revision No: 1,02

Meliseptol rapid 00056-0191

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

## Full text of R phrases referred to under Sections 2 and 3

10	Flammable.
11	Highly flammable.
22	Harmful if swallowed.
34	Causes hurns

41 Risk of serious damage to eyes.

67 Vapours may cause drowsiness and dizziness.

# Full text of H statements referred to under Sections 2 and 3

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.

#### **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations. (n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

GB - EN Page 9 of 9