Revision: 03 06 2015 Printing date 03.06.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Omnipur
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Surface disinfectant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

OMNIDENT Dental-Handelsgesellschaft m.b.H.

Gutenbergring 7-9 D- 63110 Rodgau

Fon: +49 (6106) 8 74 - 0 Fax: +49 (6106) 8 74 - 265 Web: www.omnident.de

Further information obtainable from:

Produktmanagement Fon: +49 (6106) 8 74 - 0

· 1.4 Emergency telephone number:

Notrufnummer: Erreichbar werktags

von 8.00 - 16.30 Uhr Fon: +49 (6106) 8 74 - 0 Fax: +49 (6106) 8 74 - 265 eMail: info@omnident.de

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.



Skin Irrit. 2 H315 Causes skin irritation.

Eve Irrit. 2 H319 Causes serious eye irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

R36/38: Irritating to eyes and skin.



N; Dangerous for the environment

Very toxic to aquatic organisms.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Printing date 03.06.2015 Revision: 03.06.2015

Trade name: Omnipur

· Hazard pictograms







GHS07 GHS09

- · Signal word Warning
- Hazard-determining components of labelling:

This substance is identified by SDA Substance Name:

didecyldimethylammonium chloride

N-Alkyl(C12-14)-N-ethylbenzyl-N,N-dimethylammoniumchlorid

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

· Precautionary statements

P280 Wear protective gloves / eye protection.P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	nts:	
CAS: 68391-01-5	This substance is identified by SDA Substance Name:	2.5-10%
EINECS: 269-919-4	<u>₹</u> C R34; X Xn R22	
	♦ Skin Corr. 1B, H314; ♦ Acute Tox. 4, H302	
	didecyldimethylammonium chloride	2.5-10%
EINECS: 230-525-2	<u>₹</u> C R34; X Xn R22	
	Skin Corr. 1B, H314; (Acute Tox. 4, H302	
CAS: 85409-23-0	N-Alkyl(C12-14)-N-ethylbenzyl-N,N-dimethylammoniumchlorid	2.5-10%
	<u>₹</u> C R34; X Xn R22; Y N R50	
	Skin Corr. 1B, H314; 🅸 Aquatic Acute 1, H400; 🕠 Acute Tox. 4, H302	

[·] Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing date 03.06.2015 Revision: 03.06.2015

Trade name: Omnipur

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Printing date 03.06.2015 Revision: 03.06.2015

Trade name: Omnipur

(Contd. of page 3)

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

71-23-8 propan-1-ol

WEL Short-term value: 625 mg/m³, 250 ppm Long-term value: 500 mg/m³, 200 ppm

Sk

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· As protection from splashes gloves made of the following materials are suitable:

Natural rubber, NR
Butyl rubber, BR
Fluorocarbon rubber (Viton)
Nitrile rubber, NBR

Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Clear

Odour: CharacteristicOdour threshold: Not determined.

• pH-value at 20 °C: < 9

(Contd. on page 5)

Printing date 03.06.2015 Revision: 03.06.2015

Trade name: Omnipur

		(Contd. of page
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100°C	
Flash point:	> 100 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	0.986 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	>80 %	
VOC (EC)	1 %	
Solids content:	10.0 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:

68391-01-5 This substance is identified by SDA Substance Name:

Oral LD50 650 mg/kg (rat)

(Contd. on page 6)

Printing date 03.06.2015 Revision: 03.06.2015

Trade name: Omnipur

(Contd. of page 5)

7173-51-5 didecyldimethylammonium chloride

Oral LD50 84 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eve damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

	1 0		U	U	1	€ ,
-	ı waste catalogue					
07 00 00	WASTES FROM	ORGANIC CH	HEMICAL	PROCESS	ES	
07 06 00	wastes from the N	IFSU of fats,	grease, soo	aps, deterg	ents, disinfectar	nts and cosmetics
07 06 99	wastes not otherv	rise specified				

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	1
· 14.1 UN-Number · ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name · ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (This substance is identified by SDA Substance Name:)

(Contd. on page 7)

Printing date 03.06.2015 Revision: 03.06.2015

Trade name: Omnipur

	(Contd. of page				
· IMDG · IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (This substance is identified by SDA Substance Name:), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (This substance is identified by SDA Substance Name:)				
14.3 Transport hazard class(es)					
· ADR, IMDG, IATA					
· Class	9 Miscellaneous dangerous substances and articles.				
· Label	9				
· 14.4 Packing group · ADR, IMDG, IATA	III				
· 14.5 Environmental hazards: · Marine pollutant:	Yes Symbol (fish and tree)				
· Special marking (ADR): · Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)				
4.6 Special precautions for user Warning: Miscellaneous dangerous substa					
· Danger code (Kemler):	90				
· EMS Number:	F-A				
· 14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex II of Not applicable.				
Transport/Additional information:					
· ADR · Excepted quantities (EQ): · Limited quantities (LQ) · Transport category · Tunnel restriction code	E1 5L 3 E				
· UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (This substance is identified by SDA Substance Name:), 9, III				

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





· Signal word Warning

(Contd. on page 8)

Printing date 03.06.2015 Revision: 03.06.2015

Trade name: Omnipur

(Contd. of page 7)

· Hazard-determining components of labelling:

This substance is identified by SDA Substance Name:

didecyldimethylammonium chloride

N-Alkyl(C12-14)-N-ethylbenzyl-N,N-dimethylammoniumchlorid

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

· Precautionary statements

P280 Wear protective gloves / eye protection.P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

R22 Harmful if swallowed.

R34 Causes burns.

R50 Very toxic to aquatic organisms.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

* Data compared to the previous version altered.

GB