

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 12/12/2006

SDS No : 74-001.6

Date Revised : 11/6/2014

Revision No : 6

Opalescence® Endo**SECTION 1 : Identification of the substance/preparation and of the company/undertaking****1.1. Product identifier**

Product code : OY/35263
Product name : Opalescence® Endo
Product description : Dental Walking Bleach

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Professional Dental Bleaching Gel

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Ultradent Products, Inc.
 505 W. 10200 S.
 South Jordan, UT 84095

Distributor

Ultradent Products GmbH
 Am Westhover Berg 30
 51149 Cologne Germany
 Email: infoDE@ultradent.com
Emergency Phone : +49(0)2203-35-92-0

1.4. Emergency telephone number

CHEMTREC (NORTH AMERICA) :(800) 424 - 9300
(INTERNATIONAL) :+1(703) 527 - 3887

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Directive 1999/45/EC**

Danger symbols : Xn
R phrases : R41

2.2. Label elements**Classification according to Directive 1999/45/EC**

Hazard pictogram(s) : Xn



Harmful

R&S statement(s) : R41: Risk of serious damage to eyes.

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictogram(s) :



Exclamation mark

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 12/12/2006
 SDS No : 74-001.6
 Date Revised : 11/6/2014
 Revision No : 6

Opalescence® Endo

Signal Word : WARNING
Hazard statement(s) : H318: Causes serious eye damage.
2.3. Other hazards
Immediate concerns : R41: Risk of serious damage to eyes.

SECTION 3: Composition / information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Chemical Name	CAS	EINECS No.	Wt. %	Classification according to Directive 67/548/EEC
Hydrogen Peroxide	7722-84-1	231-765-0	< 40	Xn; R41;R22

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Following eyes : Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
Following skin : Wash with soap and water. Get medical attention if irritation develops or persists.
Following ingestion : If swallowed in small quantity the product is harmless, otherwise consult a doctor.
Following inhalation : No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

4.2. Most important symptoms and effects, both acute and delayed

Eyes : Causes eye burns.
Skin : Causes skin irritation.
Ingestion : May be harmful if swallowed in large quantities.
Inhalation : None expected for this product.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician : Can cause serious damage to eyes.

SECTION 5: Fire fighting measures

5.1. Extinguishing media

Extinguishing media : Please see Fire Fighting Equipment under Section 5.3.

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 12/12/2006
SDS No : 74-001.6
Date Revised : 11/6/2014
Revision No : 6

Opalescence® Endo

5.2. Special hazards arising from the substance or mixture

Explosion hazards : Not Determined
Fire explosion : Not Determined
Sensitive to static discharge : Not Determined
Sensitivity to impact : Not Determined

5.3. Advice for firefighters

Fire fighting procedures : General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.
Fire fighting equipment : Water spray only.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General procedures : Refer to Section 8 for Personal Protective Equipment.

6.2. Environmental precautions

Water spill : Do not allow to enter sewers or drains that may lead to waterways.

6.3. Methods and material for containment and cleaning up

Small spill : Wipe up with cloth, soap and water.
Large spill : Absorb with inert, damp non-combustible material, then flush area with water.

6.4. Reference to other sections

Reference to other sections : Not Applicable

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling : Use suitable protective equipment.
Storage : See product labeling.

7.2. Conditions for safe storage, including any incompatibilities

Shelf life : See product labeling

7.3. Specific end use(s)

Specific end use(s) : Professional Dental Bleaching Gel

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Control parameters : Not Determined

8.2. Exposure controls

Eye/face protection : Wear eye protection

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 12/12/2006

SDS No : 74-001.6

Date Revised : 11/6/2014

Revision No : 6

Opalescence® Endo

Skin protection : S36/37: Wear suitable protective clothing and gloves.
Respiratory protection : Good general ventilation should be sufficient to control airborne levels.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state : Gel
Colour : Clear to milky
Odour : Odorless or no characteristic odor
pH : 3.0 to 5.0
Solubility in water : Partially Soluble

9.2. Other information

Percent volatile : Not Determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

Stable : Yes

10.2. Chemical stability

Chemical stability : Stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization : No

10.4. Conditions to avoid

Conditions to avoid : Avoid strong bases, Metals. Excess heat, exposure to moist air or water.

10.5. Incompatible materials

Incompatible materials : Strong caustics, most metals.

10.6. Hazardous decomposition products

Hazardous decomposition products : None known.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute**

Dermal LD₅₀ : Not Determined

Oral LD₅₀ : Not Determined

Inhalation LC₅₀ : Not Determined

SECTION 12: Ecological information**12.1. Toxicity**

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 12/12/2006
SDS No : 74-001.6
Date Revised : 11/6/2014
Revision No : 6

Opalescence® Endo

Toxicity : Not yet Determined

Aquatic toxicity (acute)

96-hour LC₅₀ : Not Determined

48-hour EC₅₀ : Not Determined

96-hour EC₅₀ : Not Determined

12.2. Persistence and degradability

Persistence and degradability : Not Determined

12.3. Bioaccumulative potential

Bioaccumulative potential : Not Determined

12.4. Mobility in soil

Mobility in soil : Not Determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : Not Determined

12.6. Other adverse effects

Environmental data : Not Available

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Disposal method : Dispose of in compliance with governmental regulation.(EC 1975L0442-20/11/2003)

SECTION 14: Transport information**14.1. UN number**

UN number : 3139

14.2. UN proper shipping name

UN proper shipping name : Oxidizing Liquid, N.O.S. (Hydrogen Peroxide Mixture)

14.3. Transport hazard class(es)

Primary hazard class/division : 5.1

Hazard classification : 5.1

14.4. Packing group

Packing group : II

14.5. Environmental hazards

Marine pollutant #1 : N/A

14.6. Special precautions for user

ADR - road : N/A

RID - rail : N/A

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 12/12/2006

SDS No : 74-001.6

Date Revised : 11/6/2014

Revision No : 6

Opalescence® Endo

IMDG - sea : N/A

IATA - air : N/A

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : N/A

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

RoHS : Please refer to Medical Devices Directive 93/42/EEC

15.2. Chemical safety assessment

Chemical safety assessment : Not Determined

SECTION 16: Other information

Relevant R-phrases and/or H-statements (number and full text) : R22: Harmful if swallowed.
R41: Risk of serious damage to eyes.

Prepared by : Anu Kattoju**Revision summary** : This SDS replaces the 11/29/2011 SDS. Revised: **Section 1:** Date-Revised.**General statements** : NA = Not Applicable

Manufacturer disclaimer : FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material MSDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.