

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 9/20/2012

SDS No : 28-001.7

Date Revised : 1/21/2015

Revision No : 6

Seek®

SECTION 1 : Identification of the substance/preparation and of the company/undertaking**1.1. Product identifier**

Product code : CI/11050
Product name : Seek®
Product description : Caries Indicator

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Professional Dental Caries Indicator

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Ultradent Products, Inc.
 505 W. 10200 S.
 South Jordan, UT 84095

Distributor

Ultradent Products GmbH
 Am Westhover Berg 30
 51149 Cologne Germany
 Email: infoDE@ultradent.com
Emergency Phone : +49(0)2203-35-92-0

1.4. Emergency telephone number

CHEMTREC (NORTH AMERICA) :(800) 424 - 9300
(INTERNATIONAL) :+1(703) 527 - 3887

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

Classification according to Directive 1999/45/EC

: Not Applicable

2.2. Label elements

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard statement(s) : 9502HLMN: This Material is not considered to be hazardous for the health.

2.3. Other hazards

Immediate concerns : No Immediate Concerns

SECTION 3: Composition / information on ingredients**3.1. Substances**

Not Applicable

3.2. Mixtures

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 9/20/2012

SDS No : 28-001.7

Date Revised : 1/21/2015

Revision No : 6

Seek®

Chemical Name	CAS	EINECS No.	Wt. %	Classification according to Directive 67/548/EEC
Proprietary mixture of FD&C Dyes	N/A	--	~ 1	--

SECTION 4: First aid measures**4.1. Description of first aid measures**

- Following eyes** : Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.
- Following skin** : Wash with soap and water.
- Following ingestion** : Swallowing less than an ounce will not cause significant harm. For larger amounts, do not induce vomiting, but give one or two glasses of water to drink and get medical attention.
- Following inhalation** : No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

4.2. Most important symptoms and effects, both acute and delayed

- Eyes** : May cause mild irritation.
- Skin** : May cause slight irritation.
- Ingestion** : Poses little or no immediate hazard.
- Inhalation** : None Expected.

4.3. Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Not Applicable

SECTION 5: Fire fighting measures**5.1. Extinguishing media**

- Extinguishing media** : Please see Fire Fighting Equipment under Section 5.3.

5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : Not Determined
- Explosion hazards** : Not Determined
- Fire explosion** : Not Determined
- Sensitive to static discharge** : Not Determined
- Sensitivity to impact** : Not Determined

5.3. Advice for firefighters

- Fire fighting procedures** : General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 9/20/2012
 SDS No : 28-001.7
 Date Revised : 1/21/2015
 Revision No : 6

Seek®

Fire fighting equipment : Water spray, fog, or mist, foam, dry chemical, carbon dioxide(CO₂)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General procedures : Refer to Section 8 for Personal Protective Equipment.

6.2. Environmental precautions

Water spill : Not Applicable

6.3. Methods and material for containment and cleaning up

Small spill : Clean with hydrogen peroxide, sodium hypochlorite, or detergent and warm water and a towel.

Large spill : After removal, flush contaminated area thoroughly with water.

6.4. Reference to other sections

Reference to other sections : Not Applicable

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling : Use suitable protective equipment.

Storage : See product labeling.

7.2. Conditions for safe storage, including any incompatibilities

Shelf life : See product labeling

7.3. Specific end use(s)

Specific end use(s) : Professional Dental Caries Indicator

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Control parameters : Not Determined

8.2. Exposure controls

Eye/face protection : Wear eye protection

Skin protection : S36/37: Wear suitable protective clothing and gloves.

Respiratory protection : Good general ventilation should be sufficient to control airborne levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Red

Odour : Odorless or no characteristic odor

9.2. Other information

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 9/20/2012
 SDS No : 28-001.7
 Date Revised : 1/21/2015
 Revision No : 6

Seek®

Percent volatile : Not Determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : Stable

10.2. Chemical stability

Chemical stability : Stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization : No

10.4. Conditions to avoid

Conditions to avoid : Not Applicable

10.5. Incompatible materials

Incompatible materials : None known.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not Applicable

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute

Dermal LD₅₀ : Not Determined

Oral LD₅₀ : Not Determined

Inhalation LC₅₀ : Not Determined

SECTION 12: Ecological information

12.1. Toxicity

Toxicity : No data available.

Aquatic toxicity (acute)

96-hour LC₅₀ : Not Determined

48-hour EC₅₀ : Not Determined

96-hour EC₅₀ : Not Determined

12.2. Persistence and degradability

Persistence and degradability : Not Determined

12.3. Bioaccumulative potential

Bioaccumulative potential : Not Determined

12.4. Mobility in soil

Mobility in soil : Not Determined

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 9/20/2012
 SDS No : 28-001.7
 Date Revised : 1/21/2015
 Revision No : 6

Seek®

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : Not Determined

12.6. Other adverse effects

Environmental data : No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal method : Dispose of in compliance with governmental regulation.(EC 1975L0442-20/11/2003)

SECTION 14: Transport information

14.1. UN number

UN number : N/A

14.2. UN proper shipping name

UN proper shipping name : Not Dangerous Goods

14.3. Transport hazard class(es)

Hazard classification : N/A

14.4. Packing group

Packing group : N/A

14.5. Environmental hazards

Marine pollutant #1 : Not Dangerous Goods

14.6. Special precautions for user

ADR - road : Not Dangerous Goods

RID - rail : Not Dangerous Goods

IMDG - sea : Not Dangerous Goods

IATA - air : Not Dangerous Goods

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : Not Dangerous Goods

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

RoHS : Please refer to Medical Devices Directive 93/42/EEC

15.2. Chemical safety assessment

Chemical safety assessment : Not Determined

Additional information : None of the ingredients are listed with: SARA Sect. 355 (extremely hazardous substances) or SARA Sect.313 (specific toxic chemical listings). Prop 65- Chemicals known to cause cancer. They are not

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 9/20/2012

SDS No : 28-001.7

Date Revised : 1/21/2015

Revision No : 6

Seek®

listed in the Cancerogenity categories with the following agencies:
EPA, IARC, NTP, TLV, NIOSH-Ca, OSHA-Ca.

SECTION 16: Other information**Prepared by**

: Anu Kattoju

Revision summary

: This SDS replaces the 10/4/2012 SDS. Revised: **Section 1:** GENERAL USE. **Section 2:** EMERGENCY OVERVIEW - IMMEDIATE CONCERNS. **Section 4:** NOTES TO PHYSICIAN, SIGNS AND SYMPTOMS OF OVEREXPOSURE (INGESTION, INHALATION, SKIN). **Section 5:** EXPLOSION HAZARDS, EXTINGUISHING MEDIA, FIRE EXPLOSION, HAZARDOUS COMBUSTION PRODUCTS, SENSITIVE TO STATIC DISCHARGE, SENSITIVITY TO IMPACT. **Section 6:** GENERAL PROCEDURES, WATER SPILL, . **Section 7:** SHELF LIFE, STORAGE, . **Section 8:** . **Section 9:** PERCENT VOLATILE. **Section 10:** CONDITIONS TO AVOID, HAZARDOUS DECOMPOSITION PRODUCTS, STABILITY, STABLE. **Section 11:** ACUTE (ORAL LD₅₀ (rat), INHALATION LC₅₀ (rat)). **Section 12:** CHEMICAL FATE INFORMATION, DISTRIBUTION, BIOACCUMULATION/ACCUMULATION, AQUATIC TOXICITY (ACUTE) (48-HOUR EC₅₀, 96-HOUR EC₅₀), SECTION 12: Ecological information. **Section 14:** AIR (ICAO/IATA) - SPECIAL PROVISIONS ROAD AND RAIL (ADR/RID), ROAD AND RAIL (ADR/RID) (PROPER SHIPPING NAME, UN NUMBER, PACKING GROUP), VESSEL (IMO/IMDG) (SPECIAL PROVISIONS), ROAD AND RAIL (UK only) (CDG) - SPECIAL PROVISIONS. **Section 15:** COMMENTS, RoHS, SECTION 15: Regulatory information. **Section 16:** GENERAL STATEMENTS.

General statements

: N/A= Not Applicable

Manufacturer disclaimer

: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material MSDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.