Printing date 27.02.2013

Version number 8

Revision: 27.02.2013

**1** Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- Trade name: Syntac Adhesive

• **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

- · Application of the substance / the preparation Enamel-Dentin Bonding Agent
- · Details of the supplier of the safety data sheet
- *Manufacturer/Supplier:* Ivoclar Vivadent AG Bendererstrasse 2 FL-9494 Schaan PRINCIPALITY OF LIECHTENSTEIN

*Tel:* +423 235 35 35 *Fax:* +423 235 33 60

- Further information obtainable from: Regulatory Affairs msds@ivoclarvivadent.com
- Emergency telephone number: +423 / 235 33 13 (Ivoclar Vivadent AG, FL-9494 Schaan, Liechtenstein)

## 2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xn; Harmful

R20/22: Harmful by inhalation and if swallowed.

Xn; Sensitising

*R42/43: May cause sensitisation by inhalation and skin contact.* 

Xi; Irritant

R37/38-41: Irritating to respiratory system and skin. Risk of serious damage to eyes.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· Label elements

### · Labelling according to EU guidelines:

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Dangerous Substance Directive 1999/45/ EWG usually if they are in the finished state and intended for the final user.

### · Code letter and hazard designation of product:



Xn Harmful

### · Risk phrases:

20/22 Harmful by inhalation and if swallowed.
37/38 Irritating to respiratory system and skin.
41 Risk of serious damage to eyes.
42/43 May cause sensitisation by inhalation and skin contact.

(Contd. on page 2)

Printing date 27.02.2013

Version number 8

Revision: 27.02.2013

# Trade name: Syntac Adhesive

(Contd. of page 1)

### · Safety phrases:

- 23 Do not breathe vapour/spray.
- 24 Avoid contact with skin.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 37/39 Wear suitable gloves and eye/face protection.
- 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- 60 This material and its container must be disposed of as hazardous waste.
- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

Dungerous compone			
CAS: 25852-47-5	polyethylene glycol dimethacrylate	Xi R36/37/38	25-50%
CAS: 111-30-8 EINECS: 203-856-5	0	T R23/25; C R34; Xn R42/43; N R50	2.5-10%

• Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

#### · Description of first aid measures

- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **5** Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

(Contd. on page 3)

GB

Printing date 27.02.2013

#### Version number 8

Revision: 27.02.2013

# Trade name: Syntac Adhesive

(Contd. of page 2)

## 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Dilute with plenty of water.
   Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Only adequately trained personnel should handle this product. For use in dentistry only. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- *Specific end use(s)* No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

111-30-8 glutaral

WEL () Short-term value: 0.2 mg/m<sup>3</sup>, 0.05 ppm Long-term value: 0.2 mg/m<sup>3</sup>, 0.05 ppm Sen

• Additional information: The lists valid during the making were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Usual hygienic measures for dental practice. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Do not inhale gases / fumes / aerosols.

(Contd. on page 4)

GB

Printing date 27.02.2013

Version number 8

Revision: 27.02.2013

## Trade name: Syntac Adhesive

(Contd. of page 3)

Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Not suitable are gloves made of the following materials:

*Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.* • *Eye protection:* 



Tightly sealed goggles

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Fluid	
Colour:	Colourless	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	

Version number 8

Revision: 27.02.2013

Trade name: Syntac Adhesive

		(Contd. of page
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1.38 g/cm <sup>3</sup>	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with	1	
water:	Fully miscible.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

# **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values relevant for classification:

### 111-30-8 glutaral

Oral LD50 134 mg/kg (rat)

- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization:

Sensitization possible through inhalation.

- Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful

Irritant

(Contd. on page 6)

GB

Dermal LD50 2560 mg/kg (rabbit) • Primary irritant effect:

<sup>•</sup> on the skin: Irritant to skin and mucous membranes.

Printing date 27.02.2013

Version number 8

Revision: 27.02.2013

# Trade name: Syntac Adhesive

(Contd. of page 5)

# **12** Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.

(Contd. on page 7)

<sup>·</sup> Recommendation

Printing date 27.02.2013

Version number 8

Revision: 27.02.2013

# Trade name: Syntac Adhesive

(Contd. of page 6)

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · National regulations:
- Other regulations, limitations and prohibitive regulations
- The product is a medical device according to the EC-directive 93/42/EEC.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

R23/25 Toxic by inhalation and if swallowed.

R34 Causes burns.

R36/37/38 Irritating to eyes, respiratory system and skin.

R42/43 May cause sensitisation by inhalation and skin contact.

*R50 Very toxic to aquatic organisms.* 

 $\cdot$  \* Data compared to the previous version altered.

Printing date 27.02.2013

Version number 9

Revision: 27.02.2013

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Syntac Primer

• **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

- $\cdot \textit{Application of the substance / the preparation} \ \textit{Enamel-Dentin Bonding Agent}$
- $\cdot$  Details of the supplier of the safety data sheet
- *Manufacturer/Supplier:* Ivoclar Vivadent AG Bendererstrasse 2 FL-9494 Schaan PRINCIPALITY OF LIECHTENSTEIN

*Tel:* +423 235 35 35 *Fax:* +423 235 33 60

- Further information obtainable from: Regulatory Affairs msds@ivoclarvivadent.com Emergancy telephone number: +423/235/33/13 (lvocl
- Emergency telephone number: +423 / 235 33 13 (Ivoclar Vivadent AG, FL-9494 Schaan, Liechtenstein)

## 2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Directive 67/548/EEC or Directive 1999/45/ECXi; IrritantR36/37/38:Irritating to eyes, respiratory system and skin.Xi; SensitisingR43:May cause sensitisation by skin contact.F; Highly flammableR11:Highly flammable.
- *R67: Vapours may cause drowsiness and dizziness.*

• Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· Label elements

#### · Labelling according to EU guidelines:

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Dangerous Substance Directive 1999/45/ EWG usually if they are in the finished state and intended for the final user.

#### · Code letter and hazard designation of product:



Xi Irritant F Highly flammable

• *Hazard-determining components of labelling:* triethyleneglycol dimethacrylate maleic acid

(Contd. on page 2)

GB

Printing date 27.02.2013

Version number 9

Revision: 27.02.2013

# Trade name: Syntac Primer

(Contd. of page 1)

· Risk phrases:

11 Highly flammable.

36/37/38 Irritating to eyes, respiratory system and skin.

43 May cause sensitisation by skin contact.

67 Vapours may cause drowsiness and dizziness.

#### · Safety phrases:

- 9 Keep container in a well-ventilated place.
- 16 Keep away from sources of ignition No smoking.
- 23 Do not breathe vapour/spray.
- 24 Avoid contact with skin.
- 37 Wear suitable gloves.
- 60 This material and its container must be disposed of as hazardous waste.
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# **3** Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 67-64-1 EINECS: 200-662-2		Xi R36; F R11 R66-67	25-50%
CAS: 109-16-0	triethyleneglycol dimethacrylate	Xi R36/37/38; Xi R43	10-25%
CAS: 25852-47-5	polyethylene glycol dimethacrylate	Xi R36/37/38	2.5-10%
CAS: 110-16-7 EINECS: 203-742-5	maleic acid	Xn R22; Xi R36/37/38	2.5-10%
Additional informat	on. For the wording of the listed risk phrases refer to	section 16	

• Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- · Description of first aid measures
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

GB

Printing date 27.02.2013

#### Version number 9

Revision: 27.02.2013

## Trade name: Syntac Primer

(Contd. of page 2)

### **5** Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information
- Fumes are heavier than air.
- Cool endangered receptacles with water spray.

# 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

- · Handling:
- Precautions for safe handling
   Only adequately trained personnel should handle this product.
   For use in dentistry only.
   Ensure good ventilation/exhaustion at the workplace.
   Prevent formation of aerosols.
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location. Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 27.02.2013

Version number 9

Revision: 27.02.2013

# Trade name: Syntac Primer

(Contd. of page 3)

# 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

# 67-64-1 acetone

WEL () Short-term value: 3620 mg/m<sup>3</sup>, 1500 ppm Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Usual hygienic measures for dental practice. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Avoid contact with the eyes and skin. Do not inhale dust / smoke / mist.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- *Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*
- · Not suitable are gloves made of the following materials:
- Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. • Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 27.02.2013

Version number 9

Revision: 27.02.2013

(Contd. of page 4)

Trade name: Syntac Primer

Information on basic physical and o	chemical properties
General Information	
Appearance: Form:	Fluid
Form: Colour:	Fund Colourless
Odour:	Acetone-like
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	< 21 °C
Flammability (solid, gaseous):	Not applicable.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	2.6 Vol %
Upper:	13.0 Vol %
Vapour pressure:	Not determined.
Density at 20 °C:	1.39 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

# 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: } No further relevant information available.$
- · Hazardous decomposition products: None under normal conditions of storage and use.

(Contd. on page 6)

GB

Printing date 27.02.2013

Version number 9

Revision: 27.02.2013

# Trade name: Syntac Primer

(Contd. of page 5)

## 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- $\cdot$  on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

## **12** Ecological information

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

### **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation

*Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.* 

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· ADR, IMDG, IATA	UN1090	
· UN proper shipping name		
$\cdot ADR$	1090 ACETONE	
· IMDG, IATA	ACETONE	

Printing date 27.02.2013

Version number 9

Revision: 27.02.2013

Trade name: Syntac Primer

		(Contd. of page 6)
· Transport hazard class(es)		
· ADR		
· Class	3 (F1) Flammable liquids.	
· Label	3	
· IMDG, IATA		
· Class · Label	3 Flammable liquids. 3	
	5	
· Packing group · ADR, IMDG, IATA	II	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Warning: Flammable liquids.	
· Danger code (Kemler):	33	
· EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.	
· Transport/Additional information:		
· ADR		
· Limited quantities (LQ)	1L	
· Transport category	2	
· Tunnel restriction code	D/E	

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

· Other regulations, limitations and prohibitive regulations

- *The product is a medical device according to the EC-directive 93/42/EEC.*
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

- R11 Highly flammable.
- R22 Harmful if swallowed.
- R36 Irritating to eyes.

(Contd. on page 8)

Printing date 27.02.2013

Version number 9

Revision: 27.02.2013

(Contd. of page 7)

GB

# Trade name: Syntac Primer

R36/37/38 Irritating to eyes, respiratory system and skin.

*R43 May cause sensitisation by skin contact.* 

*R66 Repeated exposure may cause skin dryness or cracking.* 

*R67 Vapours may cause drowsiness and dizziness.* 

 $\cdot$  \* Data compared to the previous version altered.



Printing date 22.09.2011

Version number 6

Revision: 22.09.2011

## 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

• Trade name: Heliobond

- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Light-curing primer agent
- · Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* Ivoclar Vivadent AG Bendererstrasse 2 FL-9494 Schaan PRINCIPALITY OF LIECHTENSTEIN

*Tel:* +423 235 35 35 *Fax:* +423 235 33 60

- Further information obtainable from: Regulatory Affairs msds@ivoclarvivadent.com
- Emergency telephone number: +423 / 235 33 13

# 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

Xi; Sensitising

*R43: May cause sensitisation by skin contact.* 

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Dangerous Substance Directive 1999/45/ EWG usually if they are in the finished state and intended for the final user.

· Code letter and hazard designation of product:



Xi Irritant

- *Hazard-determining components of labelling: triethyleneglycol dimethacrylate*
- · Risk phrases:
- 36/37/38 Irritating to eyes, respiratory system and skin.
- 43 May cause sensitisation by skin contact.
- · Safety phrases:
- 23 Do not breathe fumes/aerosol.
- 24 Avoid contact with skin.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- *37 Wear suitable gloves.*

(Contd. on page 2)

GB

Printing date 22.09.2011

Version number 6

Revision: 22.09.2011

(Contd. of page 1)

# Trade name: Heliobond

60 This material and its container must be disposed of as hazardous waste.

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous</li> </ul>	components:		
1565-94-2	Bis-GMA	🗙 Xi R36/38	50-100%
109-16-0	triethyleneglycol dimethacrylate	🗙 Xi R36/37/38; 🔀 Xi R43	25-50%
• Additional information: For the wording of the listed risk phrases refer to section 16.			

#### 4 First aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately rinse with water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

# **5** Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

- · Advice for firefighters
- · Protective equipment: No special measures required.

### **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

Printing date 22.09.2011

Version number 6

Revision: 22.09.2011

(Contd. of page 2)

# Trade name: Heliobond

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Only adequately trained personnel should handle this product. For use in dentistry only.
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from exposure to the light. Keep container tightly sealed.
- $\cdot$  Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Usual hygienic measures for dental practice. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. Keep away from foodstuffs, beverages and feed.
- **Respiratory protection:** Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing date 22.09.2011

Version number 6

Revision: 22.09.2011

# Trade name: Heliobond

· Eye protection: Safety glasses

9 Physical and chemical properti	ies
· Information on basic physical and cl	hemical properties
· General Information	
· Appearance:	
Form:	Fluid
Colour:	Yellowish
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
Density at 20°C:	1.14 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
• Segregation coefficient (n-octanol/w	ater): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
• Other information	No further relevant information available.

# **10** Stability and reactivity

- · Reactivity No further relevant information available.
- *Chemical stability* Stable under normal handling and storage conditions. Photoreactive (Danger of polymerization).
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid Protect from exposure to the light. Keep away from heat and direct sunlight.*
- · Incompatible materials: No further relevant information available.

(Contd. on page 5)

GB

Printing date 22.09.2011

Version number 6

Revision: 22.09.2011

## Trade name: Heliobond

· Hazardous decomposition products: None under normal conditions of storage and use.

(Contd. of page 4)

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

# **12 Ecological information**

- · Toxicity
- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- *Other adverse effects No further relevant information available.*

### **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.09.2011Version number 6Revision: 22.09.2011

# Trade name: Heliobond

		(Contd. of page 5)
· Packing group · ADR, IMDG, IATA	Void	
• Environmental hazards: • Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Anne MARPOL73/78 and the IBC Code	<b>x II of</b> Not applicable.	

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · National regulations:
- Other regulations, limitations and prohibitive regulations
- The product is a medical device according to the EC-directive 93/42/EEC. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

R36/37/38 Irritating to eyes, respiratory system and skin.

- R36/38 Irritating to eyes and skin.
- *R43 May cause sensitisation by skin contact.*